
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices





SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES NET F. O. B. SHIPPING POINT

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada. are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs, for new lawns.

200-lb. bbl. Ton (10 bbls.) 50-lb.bag 100-lb.bag Cars, 15 to 20 tons \$1 00 \$1 50 \$2 50 \$20 00 At special prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

100-lb, bag Cars, 12 to 25 tons \$12 00 \$1 25 \$10 per ton.

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

> Ton 100-lb. bag Cars, 12 to 25 tons \$1 50 \$14 00 \$12 00 per ton

PEAT

We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., 75 cents. In sacks, \$13.50 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request. Ton 200-lb. bag Cars. 15 to 30 tons \$3 50 \$32 00 Special price.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs

from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS .- All orders are accepted subject to the following terms and Write plainly and give explicit directions as to address and mode of shipment

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively

PACKING.—All goods are thoroughly packed, thus avoiding risk, if delayed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS CASH WITH OPDER execut to purpose who getting up as to

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES


WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL PHILADELPHIA

Cable Address "ANDORRA." PHILADELPHIA



Nursery Entrance and Office.

EVERGREEN TREES

### Each ABIES balsamea. Balsam Fir. 3 to 4 ft	10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$42 50 57 50 70 00 85 00
## to 5 1t. Specimens + .\$10 to 15 00 5 to 5 tt. Specimens + .\$10 to 15 00 6 to 12 ft. Fine specimens Prices on application. Prices on application	27 50 37 50 55 00 65 00

Each	10
BIOTA orientalis, var. aurea nana. 15 to 18 in\$1 75	\$15 00
18 to 20 in	$\begin{array}{ccc} 17 & 50 \\ 25 & 00 \end{array}$
24 to 30 in	32 50
orientalis, var aurea pyramidalis.	
3 to 4 ft 3 50.	
4 to 5 ft	
orientalis, var. compacta. Compact Chinese Arborvitæ. 3 to $3\frac{1}{2}$ ft	
3½ to 4 ft	35 00
4 to 5 ft	45 00
5 to 6 ft	70 00
orientalis, var. conspicua. 3 to $3\frac{1}{2}$ ft	$\frac{32}{37} \frac{50}{50}$
5 to 6 ft	
6 to 7 ft	70 00
7 to 12 ft	
Arborvitæ. 3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft	
4 to 5 ft	47 50
5 to 8 ft	
orientalis, var. filiformis; syn., Japonica. Thread- branched Arboryitæ. 3 to $3\frac{1}{2}$ ft	32 50
5 to $5\frac{1}{2}$ ft	
orientalis, var. semperaurescens. Ever-golden Arbor-	
vitæ. 4 to 5 ft	
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—	
2½ to 3 ft	27 50
5 to 6 ft	37 50
6 to 8 ft\$5 to 7 50 8 to 10 ft\$10 to 15 00	
CEPHALOTAXUS Fortunei. Fortune's Yew. 4 to 4½ ft 3 50	
5 to 6 ft. Very broad and heavy 5 00	
6 to 7 ft 7 50	
CRYPTOMERIA Japonica. 2½ to 3 ft	$\begin{array}{cccc} 22 & 50 \\ 27 & 50 \end{array}$
3 to $3\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3½ to 4 ft	37 50
5 to 6 ft	47 50
ILEX opaca. American Holly. 2½ to 3 ft	
3 to 4 ft. + \$3.50 to 5 00 4 to 5 ft. + \$7.50 to 10 00	
JUNIPERUS Canadensis. Spreading Canadian Juniper—	
12 to 15 in. spreadper 100, \$60 1 00	9 00
15 to 18 in. spread	$\frac{12}{17} \frac{50}{50}$
24 to 30 in. spread	32 50
Canadensis, var. aurea; syn., Douglasi. Douglas'	
Canadensis, var. aurea; syn., Douglasi. Douglas' Golden Juniper. 12 to 15 in. spread 1 00	8 50
15 to 18 in. spread	12 50 15 00
10 to 21 m. spreau. Heavy 2 00	15 00

	Each	10
JUNIPERUS	Chineses Juniper. 3 ft\$2 00	\$17 50
	$3\frac{1}{2}$ to 4 ft	32 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	37 50
	5 to 6 ft	45 00
	Chinensis, var. argentea marginata. A grand	
	hardy variety. $2\frac{1}{2}$ to 3 ft	32 50
	$\frac{3\frac{1}{2} \text{ to } 4}{1} \text{ ft.} \dots \underbrace{4}_{50}$	42 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
	7 to 8 ft. Specimens \$10 to 15 00	
	7 to 8 ft. Specimens	
	4 to 5 ft ◆ 5 00	
	5 to 6 ft	17 50
	22 to 24 in	20 00
	24 to 30 in 3 bit	32 50
	Chinensis, var. femina Reevesii. 3 to $3\frac{1}{2}$ ft 3 00	27 50
	5 to 6 ft 5 00	47 50
	communis. Common Upright Juniper— 3 to 3½ ft	
	$\frac{3}{4\frac{1}{2}}$ to $\frac{5}{5}$ ft	
	$4\frac{1}{2}$ to 5 ft	
	communis, var. Suecica. Swedish Juniper-	
	$\frac{2\frac{1}{2}}{100}$ to $\frac{3}{100}$ ft	15 00
	$ \begin{array}{llllllllllllllllllllllllllllllllllll$	
	Japonica, var. aurea. Golden Japan Juniper—	
	1½ to 2 ft	13 50
A T	2 to $2\frac{1}{2}$ ft	22 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
	$3\frac{1}{2}$ to $4\frac{1}{2}$ ft	47.50
	4 to 4½ ft ★ 6 00	55 00
	$\hat{5}$ to $\hat{5}_{2}^{2}$ ft	
	Japonica, var. nana aurea. Dwarf, 10 to 12 in.	15 00
	x 15 to 18 in. broad	15 00
	8 to 10 in. x 10 to 12 in. spread	13 50
	8 to 10 in. x 15 to 18 in. spread	17 50
	rigida. 9 to 12 ft\$10 to 25 00	0.00
	Sabina. Savin Juniper. 12 to 15 in	$\frac{9}{22} \frac{00}{50}$
	$\frac{3}{3} \text{ to } \frac{31}{4} \text{ ft}$	$\frac{22}{32} \frac{50}{50}$
	Sabina, var. aurea variegata. Savin's Golden Juniper. 1½ to 2 ft	
	Juniper. $1\frac{1}{2}$ to 2 ft	
	2 to $2\frac{1}{2}$ ft	
	15 in. spread	10 00
	12 to 15 in. x 15 to 18 in. spread	15 00
	Virginiana. Red, or Virginia Cedar. 3 to $3\frac{1}{2}$	
	ft. Nursery grown	22 50
	$\frac{3\frac{1}{2}}{4\frac{1}{2}}$ to 4 ft. Nursery grown $\frac{1}{4}$ 3 50 $\frac{1}{4\frac{1}{2}}$ to 5 ft. Nursery grown $\frac{1}{4}$ 00	$-32 - 50 \\ 37 - 50$
	5 to 6 ft. Nursery grown 5 00 7 to 8 ft. Specimens	47 50
	7 to 8 ft. Specimens	

Each	10
JUNIPERUS Virginiana, alba spicta. +3 to 4 ft\$3 00	\$27 50
Virginiana, var. Cannartii. $2\frac{1}{2}$ to 3 ft 2 50	22 50
Virginiana, var. glauca. Blue Virginia Cedar—	
$\frac{3}{4}$ to $\frac{31}{4}$ ft	27 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{32}{47} \frac{50}{50}$
7 to 8 ft	1. 00
Virginiana, var. Kosteri, Spreading-	
12 to 15 in	13 50
18 to 24 in	17 50
2 to $2\frac{1}{2}$ ft	22 50
ginian Cedar—	
3 to 3½ ft. Extra heavy	22 50
$4\frac{1}{2}$ to 5 ft. Extra heavy	32 50
5 to 7 ft. Extra heavy	
8 to 9 ft	22 50
4 to 4\frac{1}{2} ft	32 50
5 to 6 ft	47 50
Virginiana, var. Schotti. 3 to $3\frac{1}{2}$ ft	22 50
4 to 5 ft	37 50
5 to 6 ft 5 00 7 to 8 ft	47 50
PICEA alba. White Spruce. 2½ to 3 ft	17 50
3 to 3½ ft	20 00
4 to 5 ft 3 50	30 00
5 to 6 ft	
6 to 7 ft	
7 to 8 ft. Very fine specimens	
5 to 8 ft. Specimens\$4 to 15 00	
Engelmanni. Engelmann's Spruce—	
4 to 7 ft	
excelsa. Norway Spruce. 3 to 3½ ft	12 50
$3\frac{1}{2}$ to 4 ft	$\frac{17}{27} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00
7 to 9 ft. Specimens 7 50	60 00
9 to 12 ft\$10 to 25 00	
excelsa, var. aurea. Golden Norway Spruce-	
2 to $2\frac{1}{2}$ ft	
5 to 6 ft	
7 to 9 ft	
orientalis. Eastern Spruce. 2 to 2\frac{1}{2} ft	22 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00
6 to 9 ft. Specimens	
pinsapo. Spanish Fir. 3½ to 4 ft	32 50
4 to 5 ft	
polita. Tiger's Tail Spruce. 2½ ft	22 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
∂ W 14 1t,	



10 Each \$45 00 5 to 6 ft. 7 to 10 ft. pungens, var, glauca. Blue Colorado Spruce-32 50 pungens, var. Kosteriana. Koster's Blue Colorado 22 - 5032 50 6 to 10 ft. pungens, var. pendula. Weeping Blue Colorado Spruce-4 to 43 ft. 13 50 $2\frac{1}{2}$ to 3 ft. 22 50 2 50 $\bar{32} \ 50$ $3\frac{1}{2}$ to 4 ft. 4 to $4\frac{1}{2}$ ft. Very Heavy 4 00 37 50 47 50 22 5027 50 32 50 37 50 3½ to 4 ft. 4 00 47 50 5 to 7 ft.

TRIED DIST TOK STRING OF 1818	· ·
Each	10
PINUS excelsa. Bhotan Pine. 2½ to 3 ft\$2 50	\$22 50
$\frac{3}{2}$ to $\frac{41}{2}$ ft	27 50
6 to 7 ft 5 00 8 to 10 ft	47 50
Koraiensis. Corean Pine. 3 to $3\frac{1}{2}$ ft	27 50
Mughus, Dwarf Mountain Pine, 10 to 12 in 1 00	9 00
12 to 15 in	$\frac{3}{12} \frac{50}{50}$
15 to 18 in	17 50
18 in	
24 in	
ponderosa. Bull Pine. 5 to 6 ft	
rigida. Pitch Pine. 10 to 12 ft\$10 to 15 00	
Strobus. White Pine. 8 to 10 inper 100, \$20	
$1\frac{1}{2}$ to 2 ft,	6.00
2 to $2\frac{1}{2}$ ft	8 00
$2\frac{1}{2}$ to 3 ft	10 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
$= \frac{4\frac{1}{2}}{10} \frac{10}{5} \frac{12}{10} \frac{10}{10} \frac{10}{1$	$\frac{50}{27} \frac{50}{50}$
5 to 6 ft 4 00	32 00
6 to 7 ft	45 00
7 to 9 ft	
sylvestris. Scotch Pine. 3 to $3\frac{1}{2}$ ft	18 50
$3\frac{1}{2}$ to 4 ft	$\frac{15}{27} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1}{32} \frac{1}{50}$
Tanyosho. Japanese Table Pine—	
15 to 18 in	18 50
18 to 24 in	32 50
PODOCARPUS Japonica. Japanese Yew. 15 to 18 in 1 50	40 50
PSEUDOTSUGA Douglasi. Douglas' Spruce. $2\frac{1}{2}$ to 3 ft 2 00 3 to $3\frac{1}{2}$ ft 2 50	$\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$
3 to $3\frac{1}{2}$ ft 2 50 5 to 6 ft	22 30
7 to 10 ft	
RETINOSPORA ericoides. Heath-like Japan Cypress-	
15 to 18 in 75	6.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	$\frac{11}{27} \frac{50}{50}$
filifera. Thread-branched Japan Cypress—	
$1\frac{1}{2}$ to 2 ft	13 50
$2^{\frac{7}{2}}$ to 3 ft	$\frac{32}{50}$
$\frac{3}{3}$ to $\frac{3}{2}$ ft	37 50
$3\frac{1}{2}$ to 4 ft. Specimens	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
filifera, var. aurea. Golden Thread-branched	
Japan Cypress. 10 to 12 in 1 50	13 50
12 to 15 in	$\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$
18 10 20 111	22 90

10	ANDORRA NURSERIES	
DETINGOTOR	Each	10
RETINOSPORA		\$32 50 35 00
	2½ ft	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50 22 50 32 50 37 50
	obtusa, var. compacta. Compact Obtuse- leaved Japan Cypress. 18 to 24 in 2 00 5 to 5½ ft	18 50
	obtusa, var. nana. Dwarf Obtuse-leaved Japan Cypress. 1 ft. 1 25 1½ ft. 2 50 2 ft. 3 00 2½ ft. 4 00 3 ft. \$5 to 7 50 3½ ft. \$7.50 to 10 00 3 ft. \$7.50 to 10 00 3 ft. \$7.50 to 10 00	10 00 22 50 27 50 37 50
	4 to 6 ft. Specimens	
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	22 50 27 50 32 50 22 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 37 50
	pisifera, var. aurea. Golden Pea-fruited Japan Cypress. 2 to $2\frac{1}{2}$ ft 2 00 $2\frac{1}{2}$ to 3 ft 2 50 3 to $3\frac{1}{2}$ ft 3 00 $3\frac{1}{2}$ to 4 ft 4 00 5 to 6 ft. Specimens	17 50 22 50 27 50 32 50 37 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50 17 50 22 50 27 50 32 50 37 50


Each	10
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	\$12 50 22 50 32 50 37 50
1½ to 2 ft. Bushy 1 00 2 to 2½ ft. Bushy 2 00 2½ to 3 ft. Bushy 2 50 3 to 3½ ft. Bushy 3 00 3½ to 4 ft. Specimens 4 3 50 4 to 4½ ft. Specimens 4 00 This variety is one of the best for general planting. Its habit and coloring are excellent, it stands shearing readily	8 50 17 50 22 50 27 50 32 50 37 50
and its hardiness is unquestioned.	0.50
plumosa, var. flavescens. 12 to 15 in	8 50
plumosa, var. sulphurea. $1\frac{1}{2}$ to 2 ft	15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
\$\squarrosa\$. Squarrose-leaved Japan Cypress— 2 to 2½ ft. 2 50 2½ to 3 ft. 3 00 3 to 3½ ft. 3 50 4 to 4½ ft. 5 00 4½ to 5 ft. 5 pecimens 5 00 4½ to 5 ft. 5 pecimens \$6 to 7 50 5 to 14 ft. 5 the specimens \$10 to 75 00 This is excellent stock; exceptionally broad, bushy and low-branched.	22 50 27 50 30 00
SCIADOPITYS verticillata. Umbrella Pine. 2 to $2\frac{1}{2}$ ft	32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00 72 50
TAXUS baccata. English Yew. 2 to $2\frac{1}{2}$ ft. \$\display\$ 2 00 $2\frac{1}{2}$ to 3 ft. \$\display\$ 2 50 3 to $3\frac{1}{2}$ ft. \$\display\$ 3 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. adpressa. 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
2½ to 3 ft	32 30
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft	
baccata, var. Dovastoni aurea. Dovaston's Golden Yew. 5 to 7 ft. Specimens	
baccata, var. elegantissima. Elegant English Yew—	
4 to 6 ft	

12	ANDORKA NURSERIES	
	Eac	h 10
	baccata, var. erecta. Erect English Yew— 2 to 2½ ft. + .\$2 ft. 2½ to 3 ft. + .3 ft. 3 to 3½ ft. + .\$4 to 5	50 \$32 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	90 90
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 22 50 50 82 50 50 60 00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 90
	baccata, var. gracilis pendula. 3 to 3½ ft. +	50 00 00 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 % ** 50 00 00
	Canadensis (Canadian Yew). 15 to 18 in 2 0	00 7 17 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50 32 50 50 00
	1½ ft	50 13 50 00 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$) U
	cuspidata, var. capitata. $1\frac{1}{2}$ ft. $2\frac{5}{5}$ 0	50 00
тниј0Р	SIS horealis; syn., Cupressus Nutkænsis. Yellow or Sitka Cypress. 4 to $4\frac{1}{2}$ ft 5 0 5 to $5\frac{1}{2}$ ft	00 45 00 00 70 00
	borealis, var. latifolia glauca. Glaucous Sitka Cypress. 3½ to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

FRICE LIST FOR STRIN	G OF 1913	19
THUYA occidentalis. American Arborvitæ— 2 to $2\frac{1}{2}$ ft	Eachper 100, \$50\$0 75per 100, \$751 00per 100, \$100.1 50per 100, \$1752 002 503 003 504 004 005 005 00\$8 to 12 50	10 \$7 00 8 50 10 00 12 50 19 00 22 50 27 50 32 50 37 50 47 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$		12 50 20 00 32 50 37 50
7 to 12 ft. Specimens occidentalis, var. compacta (Compact $2\frac{1}{2}$ to 3 ft		16 50
$3^{}$ to $3\frac{1}{2}$ ft		$\frac{10}{22} \frac{50}{50}$ $18 \frac{50}{50}$
occidentalis, var. Douglasi. 2 to $2\frac{1}{2}$ ft 8 to 9 ft	4 ft	19 90
occidentalis, var. globosa. Globe Arb 2 ft. 2½ ft. occidentalis, var. Hoveyi. Hovey's Gold	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
$egin{array}{cccccccccccccccccccccccccccccccccccc$	+ 1 50 + 2 50 + 3 00	
occidentalis, var. plicata pyramidalis. 2 4 to 5 ft		
occidentalis, var. pyramidalis. Pyramid 6 to 8 ft. occidentalis, var. recurva nana. $2\frac{1}{2}$ to 3 3 to $4\frac{1}{2}$ ft occidentalis, var. Rosenthalis. 2 to $2\frac{1}{2}$ 3 to 4 ft	ft. + . \$5 to 7 50 ft. + . \$3.50 to 4 00 + . \$5 to 7 50 ft + . 2 50 3 50	
occidentalis, var. Vervæneana. Vervæn 3\frac{1}{2} \to 4 \text{ ft.} 4\frac{1}{2} \to 5 \text{ ft.} 5 \to 6 \text{ ft.} 6 \to 7 \text{ ft.} \text{ Heavy specimens } 7 \to 8 \text{ ft.} \text{ Heavy specimens } 9 \to 10 \text{ ft.} \text{ Heavy specimens }	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 37 50 42 50 57 50
occidentalis, var. Wareana. Siberian	Arborvitæ—	13 50
2 to $2\frac{1}{2}$ ft. Heavy $2\frac{1}{2}$ to 3 ft. Very bushy 3 to $3\frac{1}{2}$ ft. Very bushy 4 ft. Very bushy 5 ft. Very bushy	per 100, \$300 3 50	13 50 22 50 32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$:	70 00

	Each	10
THUYA occidentalis, var. Wareana aurea.	$2\frac{1}{2}$ ft\$2 50	\$22 50
3 to $3\frac{1}{2}$ ft	3 00	28 00
	4 00	37 50
5 to 6 ft	\$5 to 7 50	
TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft		6 00
2 to $2\frac{1}{2}$ ft	per 100, \$65 1 00	7 50
$2\frac{1}{2}$ to 3 ft.	+per 100, \$100 1 50	12 50
$\frac{3}{31}$ to $\frac{31}{42}$ ft. \ GRAND	+per 100, \$135 1 75	15 00
$3\frac{1}{2}$ to 4 ft.)	+per 100, \$150 2 00	18 50
4 to 41 ft. \ amo or ($\overline{2}$ $\overline{2}$ $\overline{50}$	22 50
4 to 42 ft.) STOCK	$\overline{3}$ 00	$\frac{1}{27} \frac{1}{50}$
5 to 51 ft.	3 50	$\frac{1}{32} \frac{1}{50}$
	4 00	37 50
7 to 12 ft. Heavy specime		3. 00
Canadensis, var. gracilis. 3½ to 4		
Canadensis, var. Sargenti pendula.		
3 to 4 ft. Specimens		
Caroliniana. Southern Hemlock		
4 to 6 ft. Specimens		
2 to 5 It. Specimens.		

\$5 to 7 50 \$\displays 2 50 \$\displays 4 3 50\$





A Block of Box Bush and Evergreens. **EVERGREEN SHRUBS**

ANDROMEDA Catesbæi. See Leucothoë.	Each	10
floribunda. 12 in. Broad and heavy		\$13 50
12 to 15 in. Broad and heavy	. 1 75	16 00
15 to 18 in. Broad and heavy	$\bar{2}00$	18 50
Japonica. 12 to 15 in	1 25	10 00
15 to 18 in	1 50	12 50
18 to 20 in	2 00	18 50
24 to 30 in	to 3 50	
AZALEA amœna. 12 to 15 in	1 00	8 50
15 to 18 in. Bushy	. 1 50	12 50
$1\frac{1}{2}$ ft. Bushy		17 50
$2\frac{1}{2}$ ft. Specimens	to 5 00	
ancena, var. Hinondigiro. Bright carmine-		
10 to 12 in	. 1 00	7 50
12 to 15 in	. 1 50	13 50
15 to 18 in		18 50
18 to 20 in		22 50
indica alba. Pure white, 18 to 20 in		22 50
20 to 22 in		27 50
22 to 24 in	. 4 00	37 50
BUXUS Japonica; syn., Fortunei Japanese Box-		
$3\frac{1}{2}$ to 4 ft		
4 to 5 ft	12 50	
Japonica, var. aurea. Golden Japanese Box-	1 00	
12 to 15 in	100	9 00
${15\atop 12\atop ft.}$ to ${18\atop in.}$ in. ${\sf SPECIAL}\}$	150	12 50
SPECIAL (1.175	15 00
2 ft (51 25112)		$\frac{22}{20}$ 50
$2\frac{1}{2}$ ft.	. 3 50	32 50
Japonica, var. rotundifolia. Round-leaved—	7 50	
2½ to 3 ft. Very broad and bushy		
4 to 5 ft. Bush shape		
5 to 6 ft. Pyramids	19 00	

BUXUS Japonica, var. rotundifolia glauca. 1½ ft	50	
$3\frac{1}{2}$ to 4 ft. $+$. 6 sempervirens. 10 to 12 in. Imported per 100, \$17.50.	90	00 70
1 ft. Andorra-grownper 100, \$17.30.	- <u>5</u> 9 - 50	\$2.50 4.00
1 It. Extra busny per 100, 540	75	6 00
12 it. Extra busny per 100, \$80 1	25	10 00
2 ft. Extra bushy 1	75	16 50
$2\frac{1}{2}$ ft. Extra bushy	50	$\frac{27}{40} \frac{50}{00}$
$3\frac{1}{2}$ ft. Extra bushy. Specimens $+$. 6	00	55 00
4 to $4\frac{1}{2}$ ft. Extra bushy, Specimens. \star . \$7.50 to 10	00	00 .00
5 to $6\frac{1}{2}$ ft. Extra bushy	.00	- E
sempervirens. Pyramids. Andorra-grown-	-	20' 00
$2\frac{1}{2}$ ft. Extra bushy. Specimens	50	30 00 40 00
3 ft. Extra bushy. Specimens	00	55 00
4 to 4½ ft. Extra bushy. Specimens. \$7.50 to 10	00	99, 00
3½ ft. Extra bushy. Specimens	00	
		121
12 in. x 12 in	75	16 50
15 in. x 15 in	.00	18 50
sempervirens. Standards. Andorra-grown— ½ ft. stems, 10 to 12 in. heads	75	16 50
2 ft. stems, 12 to 15 in. heads	00	18 50
2 ft, stems, 18 to 20 in. heads	00	37 50
2 ft. stems, 22 to 26 in. heads	50	
$2\frac{1}{2}$ ft. stems, 26 to 28 in. heads	75	16 50
sempervirens, var. angustifolia. 2 ft	10	70 90
2 to $2\frac{1}{2}$ ft	50	22 50
$\overline{2}_{2}^{1}$ to $\overline{3}^{2}$ ft. \ldots 3	50	32 50
$\frac{3}{4}$ to $\frac{31}{2}$ ft	00	47 50
$4\frac{1}{2}$ to 5 ft	w	
sempervirens, var. argentea marginata. Silver-tipped Box. 1½ to 2 ft	50	13 50
2 to 2 to 1 to 1 to 1 to 1 to 1 to 1 to	50	22 50
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft	00	37 50
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft	00	42 50
sempervirens, var. myrtifolia. Myrtle Leaf—	75	16 50
$\frac{2}{21}$ ft $\frac{1}{3}$		32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	,== 00
sempervirens var salicifolia 2 ft	75	16 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	27 50
3 to 3½ ft	00	
sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in +per 100, \$5.00; per 1,000, \$40 4 to 5 in +per 100, \$10.00; per 1,000, \$60		75
4 to 5 in	25	1 50
5 to 6 in + per 100, \$12.50; per 1,000, \$90	35	2 00
CHAMÆDAPHNE calyculata. Leather Leaf-	00	0 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 50	$\begin{array}{ccc} 8 & 50 \\ 12 & 50 \end{array}$
COTONEASTER buxifolia. 12 inper 100, \$131	75	6 00
	00	8 50
horizontalis. 1 ft	75	6 00
microphylla. 1 ft	75	6 00

18 50



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES — ANDORRA-GROWN

Our fall offering of Rhododendrons consists of many thousand plants, in fifty varieties, and in a range of sizes from one to five feet. These are acclimated—Andorra-grown stock—in the hardiest varieties. They are grown in open, unsheltered ground, with northern exposure, and the windswept hills of Andorra are not kind to anything of a tender nature, so that you may depend upon Andorra-grown Rhododendrons being of the hardiest, and supplied with excellent balls of fibrous roots.

	Each	10
RHODODENDRONS.	Catawbiense Hybrids Assorted. Our selec-	
***************************************	tion of varieties—	
	15 to 18 in	\$10 00
A	$1\frac{1}{2}$ to 2 ft	13 50
	2^2 to $2\frac{1}{2}$ ft	17 50
N	A large stock of standard varieties,	
	fine, heavy plants, 3 to 5 ft.	
D	Abraham Lincoln. Rosy crimson-	
0	Abraham Lincoln. Rosy crimson— $1\frac{1}{2}$ to 2 ft 1 75	15 00
	Album elegans. White—	1 2 1
R	$1\frac{1}{2}$ to 2 ft	15 00
	$2 ext{ to } 2\frac{1}{2} ext{ ft.} ext{$	20 00
R	3 to 4 ft. Specimens\$3.50 to 10 00	
A	Album grandiflorum. White-	
î	$1\frac{1}{2}$ to 2 ft	-15 00
Ċ	Album grandmorum. White— 1½ to 2 ft	$-20 \ 00$
G	Alex. Dancer. Light scarlet—	
R	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 250$	22 50
	Anna Parsons. Red. $1\frac{1}{2}$ to 2 ft 1 75	15 00
0	Atrosanguineum. Dark scarlet-	00 50
W	$\frac{2}{2}$ to $\frac{21}{2}$ ft	$\frac{22}{10}$
VV	$\frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}}$ to 2 ft	17 50
N	Blandyanum. Rosy crimson. 1½ to 2 ft 1 75	$\frac{15}{20} \frac{00}{00}$
* 4	$\frac{2}{2}$ to $\frac{21}{2}$ ft	20 00
	$2\frac{1}{2}$ to 3 ft	

to 4 ft. Specimens.....\$5 to 15 00

	RICE DIST TOR STRITTS ST 1819	
	Each	10
ODODENDRONS,	Boule de Neige. White. 18 to 20 in\$2 00	\$18 50
	20 to 24 in	22 50
	24 to 28 in 3 50	32 50
	Candidissimum. White. $1\frac{1}{2}$ ft. 1 75 2 ft. 2 00	15 00
	2 ft	17 50
	$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	
	Caractacus. Purplish crimson-	4= 00
	$\frac{1_2}{2}$ to $\frac{2}{2}$ ft. $\frac{1}{2}$	15 00
	$\frac{2}{2}$ to $\frac{2}{2}$ ft	20 00
	24 to 3 tt. Specimens\$5.50 ts / 50	15 50
	Charles Bagley. Bright red. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{8}$ ft 2 50	$\begin{array}{c} 17 & 50 \\ 22 & 50 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
	Charles Dickens. Scarlet. $1\frac{1}{2}$ ft 200	17 50
	2 ## 2 50	$\frac{1}{22} \frac{1}{50}$
A	2½ ft 3 50	
A	C. S. Sargent. Crimson. 18 to 24 in 2 50 Delicatissimum. White. $1\frac{1}{2}$ to 2 ft $\frac{1}{1}$ 75	22 50
N	Delicatissimum. White. $1\frac{1}{2}$ to 2 ft 1 75	15 00
14	2 ft 2 25	20 00
D	$2\frac{1}{2}$ ft	
D	Everestianum. Rosy lilac. 15 to 18 in., 1 75	15 00
A 14 44	18 to 20 in	20 00
0	20 to 24 in	22 50
	$2\frac{1}{2}$ to 3 it	17 50
R	General Grant. Red. $1\frac{1}{2}$ ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
R	Giganteum. Rosy crimson. $1\frac{1}{2}$ to 2 ft $\frac{3}{2}$	15 00
	2 to 91 ft $2 10$	20 00
A	2 to 2½ ft	$\frac{22}{50}$
_	Herbert Parsons Lilae 18 in 1 75	15 00
	Herbert Parsons. Lilac. 18 in	17 50
G	2 ff	22 50
•	H. H. Hunnewell. Dark crimson. 18 in 2 00	17 50
R	2 ft 2 50	22 50
10	J. Marshall Brooks. Scarlet. $1\frac{1}{2}$ to 2 ft 1 75	15 00
0	John Spencer. Rose. 2 ft	13 50
U	$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ ft	17 50
W	3 ft	32 50
VV	Kettledrum. Deep red. 18 in. 2 50 24 in. 3 00	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
N	Lady Armstrong. Pale rose. 1½ to 2 ft 1 75	15 00
14	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{15}{20} \frac{00}{00}$
	Lady Clermont. Rosy scarlet. 2 to $2\frac{1}{2}$ ft. 2 $\frac{25}{25}$	20 00
	Lady Gray Egerton. Bluish white. 1\frac{1}{2} ft 2 50	$\frac{50}{22} \frac{50}{50}$
	Luciferum. Clear white. 14 to 2 ft 2 00	17 50
	Luciferum. Clear white. $1\frac{1}{2}$ to 2 ft: 2 00 $2\frac{1}{2}$ to 4 ft\$2.50 to 10 00	
	Mad. Carvalbo. White. 2 to $2\frac{1}{2}$ ft 2 25	20 00
	Mad. Masson. White. 2 ft	20 00
	Mrs. H. Ingersoll. Deep rose-lilac—	20 00
	18 in	22 50
	Mrs. Jno. Clutton. White. $1\frac{1}{2}$ ft	13 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
	$2\frac{1}{2}$ ft	22 50
	Mrs. Milner. Crimson. $1\frac{1}{2}$ ft	15.00
, '	2 ft	17 50

	Each	10
RHODODENDRONS,	Old Port. Plum. 1½ ft\$2 00	\$17 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
	Parson's gloriosum. Blush. 2 ft 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	2½ to 3 it 5 UU	21 30
·	Parson's grandiflorum rubrum. Bright pink—	
	1½ ft 2 00	17 50
	$\frac{1}{2}^2$ ft. $\frac{1}{50}$	
	$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50	
Α	President Lincoln Crimson 11 ft 2 00	
Δ.	2 ft 2 50	22 50
N	2 ft	
14	purpureum crispum. Purple, crimped—	45 50
D	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
D	purpureum elegans. Purple. $1\frac{1}{2}$ to 2 ft 2 00	
0	$\frac{2^{1}}{2}$ ft	
U · ·	3 to 5 ft	
D 7	2 to $2\frac{1}{2}$ ft	17 50
R	roseum elegans. Good rose 14 ft 1 50	13 50
D %	roseum elegans. Good rose. 1½ ft 1 50 2 ft	17 50
R	91 ft 2 50	29 50
1	3 to 5 ft. Specimens\$7.50 to 25 00	
A .	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
po di e	$2\frac{1}{2}$ ft	32 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ \$5 to 10 00	
G	Sellon. Dark maroon 18 ft	22 50
	2 ft 3 00	28 50
R		
	NATIVE VARIETIES—ANDORRA-GROWN	
\mathbf{O}	Each	10
O MAN	Catawhiense. $1\frac{1}{2}$ to 2 ft per 100. \$80\$1 25	\$10 00
	Catawhiense. $1\frac{1}{2}$ to 2 ft per 100. \$80\$1 25	\$10 00
O (1.5%) W (2.7%).	Catawbiense. 1½ to 2 ftper 100, \$80\$1 2 2 ftper 100, \$1151 75 2½ ftper 100, \$1752 2	\$10 00 16 50 20 00
W A Const	Catawbiense. 1½ to 2 ftper 100, \$80\$1 2 2 ftper 100, \$1151 75 2½ ftper 100, \$1752 2	\$10 00 16 50 20 00
	Catawbiense. 1½ to 2 ftper 100, \$80\$1 25 2 ftper 100, \$1151 1 75 2½ ftper 100, \$1752 2 25 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel	\$10 00 16 50 20 00
W A Const	Catawbiense. 1½ to 2 ftper 100, \$80\$1 25 2 ftper 100, \$1151 1 75 2½ ftper 100, \$1752 2 25 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel	\$10 00 16 50 20 00
W A Const	Catawbiense. 1½ to 2 ftper 100, \$80\$1 25 2 ftper 100, \$1151 1 75 2½ ftper 100, \$1752 2 25 3 to 5 ft. Specimens\$5 to 20 00 maximum. Great Laurel	\$10 00 16 50 20 00
W A Const	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W A Const	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W A Const	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W A Const	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W A Const	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W N	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$10 00 16 50 20 00 17 50 25 00 37 50
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN	17 50 25 00 17 50 27 50 17 50
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 3 to 2½ ft. Nursery grown 2 2½ to 2½ ft. Nursery grown 3 30 3 to 3½ ft. Nursery grown 4 4 00 3½ to 4 ft. Nursery grown 5 50 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN	\$10 00 16 50 16 50 20 00 17 50 25 00 37 50 47 50 60 00
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in \$1 50 imbricata. 15 to 18 in \$2 50	\$10 00 16 50 20 00 17 50 25 00 37 50 47 50 47 50 60 00 \$13 50 \$13 50 23 50
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in \$1 50 imbricata. 15 to 18 in \$2 50	\$10 00 16 50 20 00 17 50 25 00 37 50 47 50 47 50 60 00 \$13 50 \$13 50 23 50
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 \$5 to 20 20 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 4 to 5 ft. Nursery grown 7 50 50 6 ft. 8pecial Prices on carload lots. Sizes, 2 to 6 ft. 8 ARF VARIETIES—ANDORRA-GROWN Each \$1 50 Hirsutum. 12 to 15 in \$2 50 50 myrtifolium. 1½ to 2 ft 2 50 2 50 odoratum. Fragrant 12 to 15 in 2 00 2 00	17 50 20 00 17 50 25 00 37 50 47 50 60 00 10 \$13 50 23 50 20 00 17 50
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 \$5 to 20 00 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 5 00 4 to 5 ft. Nursery grown 7 5 00 5 ft. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in. \$1 50 imbricata. 15 to 18 in. \$2 50 myrtifolium. 1½ to 2 ft. \$2 50 odoratum. Fragrant. 12 to 15 in. \$2 50 15 to 18 in. \$2 50 2 50	10 10 10 10 17 17 10 17 10 10 10 10 10 10 10 11 10 10
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 20 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in \$1 50 myrtifolium. ½ to 2 ft 2 50 odoratum. Fragrant. 12 to 15 in 2 00 15 to 18 in 2 50 punctatum. Dotted. 15 to 18 in 2 50	10 10 10 10 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 11 10 10
W N	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 20 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 5 00 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Each #1 50 Hirsutum. 12 to 15 in.	10 10 10 10 17 17 10 17 10 10 11 10 11 10 11 11 10 11 10 11 10 11 10 10
W N DW RHODODENDRON	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 20 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 4 00 3 to 3½ ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 5 00 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Each #1 50 Hirsutum. 12 to 15 in.	10 10 10 10 17 17 10 17 10 10 11 10 11 10 11 10 11 10 11 10 11 10 10
W N DW RHODODENDRON	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 20 maximum. Great Laurel— 2 to 2½ ft. Nursery grown 2 00 2½ to 3 ft. Nursery grown 4 00 3 to 3½ ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 5 00 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Each #1 50 Hirsutum. 12 to 15 in.	10 10 10 10 17 17 10 17 10 10 11 10 11 10 11 10 11 10 11 10 11 10 10
W N DW RHODODENDRON	Catawbiense. 1½ to 2 ft per 100, \$80. \$1 25 2 ft per 100, \$115. 1 75 2½ ft per 100, \$175. 2 25 3 to 5 ft. Specimens \$5 to 20 00 maximum. Great Laurel— 2 to ½ ft. Nursery grown 3 50 2½ to 3 ft. Nursery grown 3 50 3 to 3½ ft. Nursery grown 4 00 3½ to 4 ft. Nursery grown 5 00 4 to 5 ft. Nursery grown 7 50 maximum. Collected. Special Prices on carload lots. Sizes, 2 to 6 ft. ARF VARIETIES—ANDORRA-GROWN Hirsutum. 12 to 15 in.	10 10 10 10 17 17 10 17 10 10 11 10 11 10 11 10 11 10 11 10 11 10 10



Specimen Norway Maples in Wide Rows.

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches, where they round off to form the top; diameter of stem, or caliper, is taken 6 inches above the ground above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in (caliper).

ACE

	Each	10	100
R	campestris. European Cork Maple—	10	100
	7 to 8 ft. Bushy\$1 50	\$12.50	
	8 to 10 ft. Bushy 1 75	15 00	
	colchicum, var. rubrum. Red Colchicum Maple—	10 00	
	14 to 16 ft.; 3 to 6 in. cal. \$3.50 to 15 00		
	dasycarpum. Silver Maple-		
	8 to 10 ft 75	6 00	
	10 to 12 ft.; 13 to 2 in	12 50	
	4 to 10 in. Specimens\$7.50 to 40 00		
	A rapid grower for immediate effects.		
	dasycarpum, var. Wierii laciniatum. Wier's		
	Cut-leaved Silver Maple—		
	7 to 9 ft. Very Stocky	13 50	
	Negundo. Ash-leaved Maple—		
	10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Bushy 1 50		
	12 to 14 ft.; 3 to 4 in\$3.50 to 5 00		
	Pennsylvanicum. 5 to 6 ft		
	•		

ACER	14 to 16 14 to 16 14 to 16 14 to 16 14 to 20	ft.; $1\frac{1}{4}$ to ft.; $1\frac{5}{4}$ to ft.; 2 to ft.; $2\frac{1}{4}$ to $2\frac{1}{4}$ to ft.; $2\frac{5}{4}$ to ft.; $3\frac{1}{4}$ to ft.; $5\frac{1}{4}$ to ft.; $5\frac{1}{2}$ to	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$	10 to 2 25 to 5	1 50 1 75 2 00 2 50 3 50 4 00 4 50 6 00 7 50	\$9 13 16 18 22 30 37 42 50 60	$\begin{array}{c} 00 \\ 50 \\ 50 \\ 50 \\ 50 \\ 00 \\ 50 \\ 00 \\ \end{array}$	100 \$85 00 115 00 140 00 165 00
	platanoides, v Map 8 to 10 10 to 12 12 to 14 14 to 16 16 to 20	ar. purpurea de. 8 to 10 ft.; $1\frac{3}{4}$ to ft.; $2\frac{1}{2}$ to ft.; $2\frac{1}{4}$ to ft.; $3\frac{1}{2}$ to ft.; 5 to	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	redler's 12 in\$	Purple \$6 to 1 25 to 7	1 75 2 50 3 50 4 00 0 00 5 00	15 22		
	Pur 8 to 10 10 to 12	var. Reiten ple Maple ft.; 2 to ft.; $2\frac{1}{2}$ to	bachi. $2\frac{1}{4}$ in. $2\frac{3}{4}$ in.	Reiter	bach's				
	8 to 10 10 to 12 12 to 14 14 to 16	ft.; $1\frac{1}{2}$ to ft.; $2\frac{1}{2}$ to ft.; $2\frac{1}{2}$ to ft.; $2\frac{1}{2}$ to ft.	$ \begin{array}{cccc} 1\frac{3}{4} & \text{in.} \\ 2\frac{1}{2} & \text{in.} \\ 3 & \text{in.} \end{array} $			1 50 2 00 2 50 2 50 25 00	12 17 22	50	
	pseudo-platar	nus, var. pure Maple— ft.; $1\frac{1}{2}$ to ft.; 2 to ft.; 3 to pad-headed s	$1\frac{3}{4}$ in. $2\frac{1}{2}$ in. 6 in.	\$7.	50 to 3	2 00 2 50 35 00	17 22		
	rubrum. Re 8 to 10 10 to 12 12 to 14	d or Scarle ft.; $1\frac{3}{4}$ to ft.; $2\frac{1}{2}$ to ft.; $2\frac{1}{2}$ to	$egin{array}{ccc} { m Maple} \ 2 & { m in.} \ 2_{rac{1}{4}} & { m in.} \ 3_{rac{1}{2}} & { m in.} \ \end{array}$	\$2	2.50 to	1 50 2 00 5 00	12 17		
	\$\frac{10 \to 12}{10 \to 12}\$ \$\frac{10 \to 12}{12 \to 14}\$ \$\frac{12}{12 \to 14}\$ \$\frac{12}{12 \to 14}\$ \$\frac{12}{14 \to 16}\$ \$\frac{14}{14 \to 16}\$	CL . 11 4.	11 2	\$.\$5 to 10 to 5	1 50 2 00 2 50 3 50 5 00 7 50 60 00	12 17 22 32 45	$\begin{array}{c} 50 \\ 50 \\ 50 \end{array}$	100 00 150 00 200 00 275 00
	spicatum. M	Iountain Ma	aple. 2	$\frac{1}{2}$ to 3	ft	75	5	00	35 00
	Most brill	Bushy Bushy Bushy	$\left\{\begin{array}{c} \vdots \\ \mathbf{f} \end{array}\right\}$	INE oloring	{·····	75 1 00 1 25		50 00 00	35 00 50 00

JAPANESE MAPLE

JAI ANESE WAI EE		
Each	. 10	100
ACER polymorphum. 3 to 6 ft. Heavy\$2.50 to \$5 0	0	
polymorphum, var. atropurpureum. Blood-		
leaved Japan Maple. $1\frac{1}{2}$ ft $+$ 1 50 2 ft $+$ 2 00	\$13.50	
2 ft	0 - 18 00	
2½ ft. 3 50 3 to 5 ft. Specimens. Bushy and well	32 50	
3 to 5 ft. Specimens. Bushy and well		
furnished\$7.50 to 15 00	,	
polymorphum, var. atropurpureum dissectum. Weeping Cut-leaf Blood-leaved—		
1½ ft 2. 50	22 50	
$1\frac{1}{2}$ ft	5	
Tall standards, 4 to 5 ft. stem		
and broad heads\$15 to 25 0)	
polymorphum, var. atropurpureum nigrum—	`	
5 to 8 ft. Specimens\$20 to 35 00	,	
polymorphum, var. aureum. Golden Japan). 99 F A	
Maple. $1\frac{1}{2}$ to 2 ft	$\frac{0}{1}$ 22 50	
polymorphum, var. dissectum. Cut-leaf Weep-	,	
ing Japan Maple. 14 ft	22 50	
ing Japan Maple. $1\frac{1}{2}$ ft 2 50 2 to $2\frac{1}{2}$ ft \$3.50 to 7 50	5	
$2\frac{1}{2}$ to 3 it. by $2\frac{1}{2}$ to 4 it\$1.50 to 15 0)	
polymorphum, var. scopendifolium rubrum. 3 to 5 ft\$3.50 to 15 0		
3 to 5 ft\$3.50 to 15 0	0	
ÆSCULUS Hippocastanum. European Horse-chest-		
nut. 7 to 8 ft.: 2 in	5 15 00	\$135 00
8 to 10 ft.; $2\frac{1}{2}$ in,	0 - 22 50	200 00
)	
Hippocastanum, var. alba flore pleno.		
Double White-flowered Horse-Chest-	10 50	175 00
9 to 10 ft : $2\frac{1}{4}$ to $2\frac{1}{1}$ in 2 0	5 25 00	$\begin{array}{ccc} 175 & 00 \\ 225 & 00 \end{array}$
nut. $8 \text{ to } 9 \text{ ft.}; 1\frac{9}{4} \text{ to } 2 \text{ in} 20$ $9 \text{ to } 10 \text{ ft.}; 2\frac{1}{2} \text{ in} 27$ $11 \text{ to } 12 \text{ ft.}; 3 \text{ to } 6 \text{ in} \$5 \text{ to } 25 \text{ 0}$ Hippocastanum, var. Bujotii—	0	220 00
Hippocastanum, var. Bujotii—		
10 to 12 ft.; 3 to 3\(\dagge\) in♦\$5 to 7 50)	
Hippocastanum, var. rubicunda. Red-		
flowered Horse-chestnut—	07 50	
10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in. 3 0 10 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. 3 5 12 ft.; 3 to 4 in. $+$.\$5 to 15 0	$egin{pmatrix} 0 & 27 & 50 \ 0 & 32 & 50 \ \end{bmatrix}$	
12 ft. ; $3^2 \text{ to } 4^4 \text{ in.} \dots + $5 \text{ to } 15 \text{ 0}$	0 02 00	
parviflora. See Shrubs.		
AlLANTHUS glandulosa. Tree of Heaven-		
8 to 10 ft; $1\frac{1}{2}$ to 2 in 1 0 10 to 12 ft; 2 to $2\frac{1}{2}$ in 1 2	8 50	50 00
10 to 12 ft; 2 to $2\frac{1}{2}$ in 1 23	5 10 00	65 00
ALNUS diutinosa European on Black Alden		
8 to 10 ft.; $\frac{1}{2}$ to 2 in 1 0	5 00	35 00
8 to 10 fft; 1½ to 2 in 1 0 10 to 12 ft.; 2 to 2½ in 1 5 incana. 10 to 12 ft.; 2 to 2½ in 1 50	$\frac{12}{10}$ $\frac{50}{10}$	75 00
incana, var jaciniala. 8 to 9 tr 1 5	$0 - 10 00 \\ 12 50$	75 00
AMELANCHIER Canadensia Shed Bush	12 50	
AMELANCHIER Canadensia. Shad Bush—	3 50	25 00
10 to 12 ft 1 50	$\frac{12}{12} = \frac{30}{50}$	20 00

Each	10	100
ANDROMEDA. See Oxydendron.		
ARALIA. Chinese Angelica Tree-elata, var. foliis argentea marginata. 8 to 10 ft\$1 50		
Japonica. 4 to 5 ft	\$4 00 6 00	
spinosa. 3 to 4 ft	4 00	
BETULA alba. European White Weeping Birch—	7.50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00	
leaved White Birch. 6 to 7 ft 1 50		
lenta. Sweet Birch. 6 to 7 ft 1 00 8 to 10 ft 1 00	7 50	
lutea. Yellow Birch— 8 ft.; 2 in. 1 50 12 to 14 ft.; 2½ to 3 in. 2 00	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$	
papyrifera. Paper, or Canoe Birch— 7 to 8 ft	8 50	
nigra; syn., rubra. Red Birch. 7 to 8 ft. 1 00 8 to 10 ft. 1 50 10 to 12 ft.; 2½ to 3 in. 2 50	$\begin{array}{c} 8 & 50 \\ 13 & 50 \\ 22 & 50 \end{array}$	\$85 00 150 00
BROUSSONETIA papyrifera. Paper Mulberry—	22 00	100 00
8 to 10 ft	90.00	
varieties. 4 to 5 ft	20 00	
Hornbeam—		
6 to 7 ft. Bushy	$\begin{array}{c} 13 \ 50 \\ 20 \ 00 \\ 27 \ 50 \end{array}$	150 00
Betulus. European Hornbeam— 5 to 6 ft. Bushy 1 50 6 to 7 ft. Bushy 2 00 8 to 10 ft. Bushy 3 50	13 50 18 50 30 00	
CARYA alba. (Hickory.) $1\frac{1}{2}$ to 2 ft	5 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 5 & 00 \\ 7 & 50 \end{array}$	
CASTANEA Japonica. Japan Chestnut. 4 to 5 ft. 1 00 vesca. Spanish Chestnut. 4 to 5 ft. 1 00	7 50 7 50 7 50	
CATALPA bignonioides. 14 to 16 ft.; 3½ in 3 50 Bungei. Bunge's Catalpa. Standards— 7 ft\$3.50 to 5 00		
	0 70	
speciosa. Western Catalpa. 8 to 10 ft 1 00 CEDRELA Sinensis. Chinese Cedrela—	8 50	
8 to 10 ft	10 00	

N . 77 .	4.0	400
CELTIS occidentalis. Nettle Tree. 7 to 8 ft 1 25	\$10 00	\$75 00
9 to 10 ft	12 50	90 00
10 to 12 ft 2 00	17 50	00 00
CERASUS Padus. European Bird Cherry—		
6 to 8 ft 1 00	6 50	
serotina. Wild Black Cherry— 14 to 16 ft		
14 to 16 ft		
Avium, var. alba plena. Double White-flowering Cherry. 3 to 4 ft 1 00		
Avium, var. rosea plena. Double Pink-		
Avium, var. rosea plena. Double Pink-flowering Cherry. 3 to 4 ft 1 00		
Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 4 to 5 ft 2 50 Sieboldi, var. rubra plena. $3\frac{1}{2}$ to 4 ft 1 50		
CERCIS Canadensis. Red Bud, American Judas—		
2 to 3 ft	3 00	20 00
3 to 4 ft 50	4 00	
4 to 5 ft	$\frac{6}{7} \frac{00}{50}$	
5 to 6 ft	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$	
Japonica. See Shrubs.	10 00	
· · · ·	0 50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$	100 00
7 to 8 ft. Specimens 3 00		100 00
5 to 6 ft	$\begin{array}{ccc} 27 & 50 \\ 32 & 50 \end{array}$	
CLADRASTIS tinctoria (Virgilia lutea). Yellow	40 50	400.00
Wood. 6 to 8 ft 1 50	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$100 00 \\ 150 00$
8 to 10 ft 2 00 10 to 14 ft \$2.50 to 3 50	11 30	190 00
florida. White Dogwood-		
$3\frac{1}{2}$ to 4 ft.; very fine 1 00	7 50	20.00
4 to 5 ft.; very fine	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	$\frac{60}{75} \frac{00}{00}$
5 to 6 ft.; very fine	15 00 15 00	125 00
7 to 8 ft.: very fine	$\frac{13}{22} \frac{50}{50}$	120 00
7 to 8 ft.; very fine	27 50	
florida, var. flore rubro. Red-flowered		
Dogwood. $2\frac{1}{2}$ to 3 ft	$\frac{15}{20} \frac{00}{00}$	
3 to 4 ft	20 00	
5 to 6 ft. Bushy		
5 to 6 ft. Bushy		
ornamental trees.		
florida, var. pendula. Weeping Dog-		
wood— 7 to 10 ft. Rare		
CRATÆGUS Carrieri. 4 to 5 ft	7 50	
5 to 6 ft 1 25	10 00	
6 to 7 ft 1 50	12 50	
7 to 8 ft	22 50	
coccinea. 3 to 4 ft		
cordata. Washington Thorn—		
3 to 4 ft	8 50	
4 to 5 ft	12 50	
5 to 6 ft 2 50		

 $\begin{array}{c} 100 \\ \$35 \ 00 \\ 50 \ 00 \end{array}$

26 ANDORRA NURSERIES	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 10 \\ \$4 \ 00 \\ 6 \ 00 \\ 8 \ 50 \end{array}$
Oxyacantha. English Hawthorn— 4 to 6 ft 1 00 Oxyacantha, var. alba flore pleno. Double White Hawthorn—	8 50
4 to 5 ft	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
4 to 5 ft	9 00
4 to 5 ft	
7 to 8 ft. Specimen\$3.50 to 7 50 DIOSPYROS Virginica. Persimmon. 1½ to 2 ft 50 FAGUS ferruginea. American Beech—	4 00
3 ft	13 50 18 50 12 50 17 50 22 50 32 50 32 50
sylvatica, var. asplenifolia. Fern-like Beech— 3 to 4 ft	
sylvatica, var. pendula. Weeping Beech— 4 to 5 ft. 3 50 6 to 7 ft. 5 00 14 to 16 ft. Specimens \$25 to 50 00 All recently transplanted.	
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft. 1 50 5 to 6 ft. 2 50 6 to 7 ft. 3 50 7 to 8 ft. \$5 to 7 50 9 to 10 ft. \$7.50 to 10 00 11 to 12 ft. \$10 to 25 00 12 to 18 ft. Specimens. \$15 to 75 00 sylvatica, var. purpurpua pendula. Weeping	12 50 22 50 32 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	



An Avenue of Sweet Gums (Liquidambar), at Andorra.

Each	10	100
FRAXINUS Americana. White Ash. 8 to 10 ft\$1 25	\$10 00	
10 to 12 ft.; $1\frac{1}{2}$ to 2 in 1 50	12 50	\$100 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	$\frac{22}{50}$	φ200 00
14 to 16 ft.; $2\frac{3}{4}$ to 3° in 3 00	50	
14 to 16 ft.; 3 to 4 in\$4 to 5 00		
excelsior. European Ash-		
6 to 8 ft 1 00		
8 to 10 ft 1 50		
viridis. Green Ash. 6 to 8 ft	4 00	30 00
GLEDITSCHIA aquatica. Water Locust. 7 to 8 ft 1 00	8 50	
8 to 10 ft	12 50	
triacanthos. Honey Locust—	12 00	
7 to 8 ft 1 00	8 50	
8 to 10 ft 1 25	10.00	
10 to 12 ft	12 50	
GLYPTOSTROBUS. See Taxodium.	12 50	
GYMNOCLADUS Canadensis. Kentucky Coffee Tree		
8 to 10 ft 1 50	12/50	
10 to 12 ft 2 00	17 - 50	
12 to 14 ft 2 50		
JUGLANS nigra. Black Walnut. 4 to 5 ft 1 00	7.50	
regia. English Walnut-		
8 to 10 ft.; $1\frac{1}{2}$ to 2 in 2 50		
10 to 12 ft.; 2^2 to $2_{\frac{1}{2}}$ in $\frac{3}{3}$ 50		
KŒLREUTERIA paniculata. Varnish Tree—		
6 to 8 ft 2 00	18 50	
8 to 10 ft 3 00	$\frac{15}{25} \frac{50}{00}$	
10 to 12 ft. Heavy\$4 to 5 00	29 00	
10 to 12 It. Heavy 51 to 5 00		

20 Fig., acc. ANDORRA NOROBRIES		
Each	10	100
LARIX European European Larch. 6 to 8 ft\$1 25	\$10 00	60E 00
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	\$85 00
lentolensis. Japanese Larch. 5 to 7 ft. 1 50	$\frac{12}{12} \frac{50}{50}$	
leptolepsis. Japanese Larch. 5 to 7 ft 1 50 14 to 16 ft	$\frac{1}{27} \frac{1}{50}$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12 50	85 00
7 to 8 ft.; $2\frac{1}{2}$ in. Fine+ 2 50	22 50	
8 to 9 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. Fine $+$. 3 50	32 50	
10 to 12 ft.; 3 to $3\frac{1}{2}$ in 4 00		
LIRIODENDRON Tulipifera. Tulip Tree. 7 to 8 ft 1 00 8 to 9 ft	7 50	60 00
10 to 12 ft	$\begin{array}{ccc} 10 & 00 \\ 16 & 50 \end{array}$	$\frac{90\ 00}{150\ 00}$
MAGNOLIA. Native Sorts—	10 00	100 00
acuminata. Cucumber Tree— 5 to 6 ft	7 50	
glauca. Sweet or Swamp Magnolia—		
2 to 2½ ft		
grandiflora. Evergreen Magnolia— 2 to 2½ ft		
macrophylla. Great-leaved Magnolia—		
2½ to 3 ft		
5 to 6 ft	0.00	
tripetala. Umbrella Tree. 6 to 8 ft 1 25 8 to 10 ft. 1 50	$\begin{array}{c} 9 & 00 \\ 12 & 50 \end{array}$	100 00
10 to 12 ft 2 00	12 00	100 00
Chinese Sorts—		
alba superba. White—		
3 to 3½ ft		
Alexandriana. 4 to 5 ft		
8 to 10 ft+10 00		
conspicua. White-		
$3\frac{1}{2}$ to 4 ft	45 00	
7 to 8 ft	40 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
3 to 5 ft\$3.50 to 4 50		
Lennel Hybrid. Lenne's Magnolia—	32 50	
5 to 6 ft\$5 to 7 50	52 50	
7 to 9 ft. Specimens+15 00		
Norbertiana Hybrid. Norbert's Magnolia—		
3 to 4 ft 3 50 5 to 6 ft	,	
purpurea; syn., obovata. Purple Magnolia—	· ·	
4 to 5 ft 2 50		
5 to 6 ft		
Soulangeana Hybrid Soulange's Magnolia-	20 50	
3 to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 4 ft	32 00	
stellata; syn., Halleana. Hall's Japanese	10 50	
Magnolia. $1\frac{1}{2}$ ft	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{22}{32} \frac{50}{50}$	
3 ² to 4 ft\$5 to 15 00		



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

MORUS alba. White Mulberry. 5 to 6 ft	10 \$6 00 32 50
NEGUNDO. See Acer.	
NYSSA sylvatica. Sour Gum. 3 to 4 ft	$\frac{9}{13} \frac{00}{50}$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 00 13 50 18 50 22 50
PARROTIA Persica. Persian Iron Tree. 4 to 5 ft. 1 50 5 to 6 ft. 2 50 6 to 7 ft. 3 50	$\begin{array}{c} 13 & 50 \\ 22 & 50 \\ 32 & 50 \end{array}$
PAULOWNIA Imperialis. Empress Tree. 2½ to 3 ft 1 50	13 50
PERSICA vulgaris, var. alba plena. Double White-flowering Peach. 4 to 5 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering Peach, 4 to 5 ft,	7 50

ANDORKA NORSERIES		
Eacl	ı 10	100
PLATANUS occidentalis. American Buttonwood—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 \$8 50	
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	0 12 50	
orientalis. Oriental Plane, or European		
Buttonwood. 6 to 8 ft 1 0	0 7 50	\$50.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 10 00	85.00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 5	0 12 50	115 00
10 to 12 ft.; $1\frac{3}{4}$ to 2 in $\frac{1}{2}$ 7	$\frac{16}{6} \frac{00}{6}$	150 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 5	0 22 50	200 00
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	$0 32 \ 50$	300 00
14 It.; 5 to 4 In. Specimens. \$5 to 10 0	U	
POPULUS alba, var. Bolleana. Bolle's Poplar—		
10 to 12 ft $1 7$		
12 to 14 ft	0 22 50	
monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft 1 0		60.00
Poplar. 8 to 10 ft 1 U	0 7 50	60 00
$\frac{10}{10}$ to $\frac{12}{14}$ ft		100 00
12 to 14 ft	9 19 00	100 00
nigra, var. fastigiata. Lombardy Poplar—	5 10 00	90.00
10 to 12 It.; $1\frac{1}{2}$ to $1\frac{1}{4}$ III 1 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	125 00
12 to 14 ft., 2 to 24 ff 1 or	0 18 50	150 00
$\begin{array}{c} \begin{array}{ccccccccccccccccccccccccccccccccc$	0 32 50	300 00
PRUNUS. See, also, Cerasus.	0 02 00	300 00
Pissardii. Purple Plum. 4 to 5 ft	0	
triloba. Flowering Plum. 2 to $2\frac{1}{2}$ ft 5		
PTELEA trifoliata. Hop Tree. 5 to 6 ft		25 00
6 to 7 ft		$\frac{25}{35} \frac{00}{00}$
PTEROSTYRAX hispidum (Halesia hispida).	1 00	00 00
10 to 12 ft	0 12 50	
PYRUS. See, also, Shrubs.	0 12 50	
baccata, Siberian Flowering Crab Apple— 5 to 6 ft. Specimens 3 5	0 32 50	
coronaria. Sweet-scented Crab—	0 52 50	
$2\frac{1}{2}$ to 3 ft	0 7 50	
floribunda. Flowering Crab. 5 to 6 ft 3 5	$0 32 \ 50$	
floribunda, var. atrosanguinea. 5 to 6 ft 3 5		
	0 52 50	
lænsis, var. Bechtel. Bechtel's Double	5 16 50	
flowering Crab. $3\frac{1}{2}$ to 4 ft 1 7 Parkmani; syn., Halliana. Parkman's Crab—	0 10 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 0$	0	
Scheideckeri (Double-flowered)—	O .	
5 to 6 ft. "Specimens"	0 32 50	
Toringo (Dwarf Crab). 5 to 6 ft 3 5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
OUEDOUG -II- TVI'- O.1 O. F.C.	^	
7 to 8 ft; 1\frac{2}{3} to 2 in 2 5 8 to 10 ft; 2 to 2\frac{1}{3} in 3 5 10 to 14 ft; 2\frac{1}{2} to 3 in. \dots. \$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	0 - 22 50	
$\frac{1}{8}$ to $\frac{10}{9}$ ft : $\frac{14}{2}$ to $\frac{21}{9}$ in $\frac{1}{4}$ 3.5	0 22 50	
10 to 14 ft. $2\frac{1}{5}$ to 3° in \bigstar . \$3.50 to 7.50	ň	
bicolor. Swamp White Oak—		
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 2 5	0	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 5	0	
12 to 14 ft.; 3 to $3\frac{1}{2}$ in\$5 to 7 5	0	
12 to 16 ft.; $3\frac{3}{4}$ to 5 in \$10 to 25 0	0	
Cerris. Turkey Oak—	0	
Swamp Winte Gak— 8 to 9 ft.; 1\frac{3}{2} to 2 in	U	

Each	10	100
QUERCUS coccinea. Scarlet Oak. 6 to 7 ft\$1 50 7 to 8 ft	0 \$13 50 18 50	100
macrocarpa. Mossy Cup Oak— 8 to 9 ft.; 1½ to 1¾ in. 2 0 10 to 12 ft.; 2 to 2½ in. 2 5		
palustris. Pin Oak— 6 to 7 ft. Low-branched	$egin{pmatrix} 0 & 17 & 50 \ 0 & 22 & 50 \ 0 & 28 & 50 \ \end{bmatrix}$	
Extra heavy specimens. 4 to 8 in.,	^	
well-rooted and good tops.\$15.00 to 50 0 pedunculata, var. Concordia. Golden Oak— 8 to 10 ft\$3.50 to 5 0		
Prinus. Rock Chestnut Oak. 7 to 8 ft 1 2 8 to 10 ft	5 0	
Robur. English Oak— 8 to 10 ft.; 2 to $2\frac{1}{4}$ in. 1 5 10 to 12 ft.; $2\frac{1}{2}$ to 3 in. 2 5 12 to 14 ft.; 3 to $3\frac{1}{2}$ in. 3 5 $3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal. Specimens. \$5 to 15 0	$\begin{array}{cccc} 0 & 12 & 50 \\ 0 & 20 & 00 \\ 0 & 32 & 50 \end{array}$	
Robur, var. fastigiata. Pyramidal English Oak. 10 to 12 ft	0	
rubra. Red Oak. 7 to 8 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$90 00
velutina, var. tinctoria. Black Oak—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
Sum of the first street from the first stre	$\begin{array}{cccc} 0 & 4 & 00 \\ 5 & 6 & 00 \end{array}$	35 00 50 00 75 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 5 00	40 00 60 00
Osbecki. 4 to 5 ft. 7 5 to 6 ft. 1 0		

		1	
RHIIS typhina Stagham Sumag 3 to 31 ft \$0	25	\$3 00	\$25 00
RHUS typhina. Staghorn Sumac. 3 to 3½ ft\$0	50	4 00.	\$20 00
6 to 8 ft 1	00	8 50	
typhina, var. laciniata. (Cut-leaved)—	1		
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	50	4 00	35 00
ROBINIA Pseudacacia. Black Locust. 6 to 8 ft	75	6 00	50 00
8 to 10 ft	00	. 8 50	60 00
SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree. 7 to 8 ft	0-	40 00	
Tree. 7 to 8 ft. \dots 1	25 50	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	
10 to 12 ft.: $\frac{14}{2}$ to $\frac{2}{4}$ in 1	75	$\frac{12}{16} \frac{50}{50}$	150 00
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2	50	22 50	1. 62,17
12 to 14 ft.: $2\frac{1}{2}$ to 3^2 in 3	50	32 50	
SALIX alba. White Willow. 6 to 8 ft		6 50	
	50	12 50	
Babylonica. Weeping Willow, 8 to 10 ft. 1	00	8 50	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	00	12 50	
caprea. Pussy Willow. 7 to 8 ft 1		7 50	
8 to 10 ft.		12 50	60 00
		4 50	35 00
incana. Rosemary Willow. 4 to 5 ft 5 to 6 ft	00.	6 50	50 00
lutea. Golden Willow. 6 to 7 ft 1	00	6.50	40 00
lutea, var. pendula. Golden Weeping-	2.1	Vista in the	
7 to 8 ft 1	50	10 00	75 00
pentandra. Laurel Leaf Willow. 6 to 7 ft. + 1	00	7 50	50 00
7 to 8 ft	50	12 50	75 00
vitellina, var. Britzensis. Salmon-barked	50	10 00	
Willow. 8 to 10 ft		-	
12 to 14 ft	00	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
SASSAFRAS officinale (Sassafras). 5 to 6 ft 1		5 00	
	00	5 00	
Sophora. 6 to 8 ft. \$3.50 to 7	50		
SORBUS Americana. American Mountain Ash-			
7 to 8 ft.	50		
aucunaria European Mountain Ash-	,	25.0	
7 to 8 ft	50	10 00	
10 to 12 ft 2	00	12 50	
aucuparia, var. quercifolia. Oak-leaved	P O		
Mountain Ash. 6 to 7 ft 1	90		
TAXODIUM distichum. Deciduous Cypress—	00	8 50	
3 to 4 ft	50	12 50	
TILIA Americana. American Linden or Bass-			
and the state of t			
7 to 9 ft.; $1\frac{1}{2}$ to 2 in	50	12 50	100 00
$\frac{8}{10}$ to $\frac{10}{10}$ ft.; $\frac{2}{10}$ to $\frac{21}{10}$ in	50	$\begin{array}{cccc} & 17 & 50 \\ & 22 & 50 \end{array}$	$\begin{array}{cccc} 150 & 00 \\ 175 & 00 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{50}{00}$	44 50	119 00
12 to 14 ft.; 3½ to 4 in	00		

TRICE LIST FOR STRING OF 1913	00
Each	10
TILIA argentea; syn., tomentosa. Silver-leaved Linden— S to 10 ft.; 2 to $2\frac{1}{4}$ in. \$2 50 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. 3 50 10 to 12 ft.; $2\frac{3}{4}$ to 3 in. Specimens. 5 00 12 to 14 ft.; $3\frac{1}{4}$ to 4 in. Specimens. \$6 to 10 00	\$22 50 32 50 40 00
platyphyllos. Large-leaved Linden— 7 to 8 ft.; $1\frac{3}{4}$ to 2 in	12 50
vulgaris; syn., Europæa. European Linden—	12 50
8 to 10 ft.; 2 to 2\frac{1}{4} inper 100, \$150 1 75 10 to 12 ft.; 2\frac{1}{2} to 2\frac{3}{4} inper 100, \$200 2 50 12 to 16 ft.; 3 to 4 in Specimens\$4 to 10 00 These specimens are an unusual lot of strictly perfect trees	22 50
vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 12 to 14 ft.; 3 in	32 50
ULMUS Americana. American Elm-	
ULMUS Americana. American Elm— 8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ inper 100, \$90	$ \begin{array}{c} 13 \ 50 \\ 17 \ 50 \\ 22 \ 50 \\ 27 \ 50 \end{array} $
campestris. English Elm. 8 to 10 ft.; 2 to $2\frac{1}{4}$ in. 1 50 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. 2 75 12 to 14 ft.; $2\frac{3}{4}$ to 3 in. 3 50 Specimens. 3 to 4 in. \$5 to 10 00	13 50 25 00 32 50
campestris, var. latifolia; syn., major. Broad-leaved	
English Elm— 12 to 14 ft.; 2½ to 2¾ in	
campestris, var. Wheatley's (Cornish) Elm-	
6 to 8 ft. 1 50 8 to 10 ft. 2 200 12 to 14 ft. 2 50 14 to 16 ft. 3 50	$\begin{array}{c} 12 \ 50 \\ 15 \ 00 \\ 22 \ 50 \\ 32 \ 50 \end{array}$
scabra; syn., Dampieri; fastigiate form— 12 to 14 ft; 3 in	32 50
scabra; var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 3 to 3½ in. \$\frac{1}{2}\$ \$\frac{1}{	32 50 42 50
scabra, var. pendula. Camperdown Elm— 6 ft	
scabra, var. purpurea. Purple Wych Elm— 10 to 12 ft.; 2 to 2½ in. 2 00 12 to 14 ft.; 3 to 3½ in, 3 50	17 50 32 50



Partial View of Nursery Grounds from Top of Main Nursery.

AZALEAS, ANDORRA-GROWN

	Ea	.eh	- 10	100
AZALEA	arborescens. Fragrant White Azalea-			
	12 to 15 in. Bushy clumps\$1	00 -	\$9 00	\$80 00
	15 to 18 in. Bushy clumps 1	50	13 50	125 00.
	$1\frac{1}{2}$ to 2 ft. Bushy clumps 2	00.	18 50	150 00
	2 to $2\frac{1}{2}$ ft. Bushy clumps 2	50	$22 \ 50$	175 00
	$2\frac{1}{2}$ to 3 ft. Bushy clumps 3	50	30 00	250 00
	calendulacea. Flame Azalea. 12 to 15 in 1	00.	9 00	80 00
	15 to 18 in. Bushy clumps 1	50	13 50	125 00.
		75	15 00	135 00
	$\frac{2}{2}$ to $\frac{2}{2}$ ft. Bushy clumps 2	50	$22 \ 50$	$200 \ 00$
	$2\frac{1}{2}$ to 3 ft. Bushy clumps.\$3.50 to 5	00		
	Canadensis (Rhodora). 1 ft. Bushy 1	00	8 50	75 00
	$1\frac{1}{2}$ to 2 ft. Bushy	50	13 50	110 00
	mollis. $1\frac{1}{2}$ ft. Named sorts	25	10 00	90 00
	2 ft. Bushy. Named sorts 1	50	13 50	125 00
	$2\frac{1}{2}$ ft. Bushy. Named sorts 2	00	17 50	
	nudiflora. 12 to 15 in 1	00	9 00	
		50	13 50	115 00
		75	15 00	125 00
	2 ft. Bushy clumps	50	20:00	175 00
		$\frac{25}{50}$	10 00	90 00
	2 ft. Bushy. Named sorts1	50	12 50	120 00
		50 50	22 50	
	o oz it. Dushy	00 00	9 00	
		50 50	13 50	
		00	18 50	150 00
	2 ft. Bushy clumps 2	50	22 50	200 00
	viscosa. White Azalea—	30	22 00	200 00
		50	13 50	115 00
			18 50	150 00
	2 ft. Bushy clumps		$\frac{10}{22} \frac{50}{50}$	175 00
			15 00	1.0
			20 00	
	0.4			

DECIDUOUS SHRUBS

	Each	10	100
ABELIA rupestris. 1 ft	.\$0 50	\$4 50	
ACANTHOPANAX spinosa (Aralia pentaphyila)— $2\frac{1}{2}$ to 3 ft		2 00 3 00	\$20 00 25 00
ÆSCULUS parviflora; syn., Pavia macrostachya—	4 00		00.00
$egin{array}{cccccccccccccccccccccccccccccccccccc$. 1 25	$ \begin{array}{r} 8 50 \\ 10 00 \\ 17 50 \end{array} $	$\begin{array}{c} 69 & 00 \\ 85 & 00 \\ 150 & 00 \end{array}$
ALTHEA. See Hibiscus.			
AMELANCHIER Botryapium. 2 to 2½ ft	. 35	3 00	25 00
AMORPHA canescens. 2 to $2\frac{1}{2}$ ft	. 35	2 50	15 00
fruticosa. 4½ to 5 ft	. 35	3 00	20 00
AMYGDALUS (Almond). See Prunus.			
BACCHARIS halimifolia. Groundsel Shrub-			
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	3 50	25 00
BENZOIN odoriferum. Spice Bush. 2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccc} 20 & 00 \\ 30 & 00 \end{array}$
$egin{array}{cccccccccccccccccccccccccccccccccccc$		6 00	35 00
4 to 5 ft		7 50	
BERBERIS (Barberry). Dulcis. 1 ft	. 50	4 00	35 00
ilicifolia. Holly-leaved. 2 to $2\frac{1}{2}$ ft		3 00	27 50
$\frac{2\frac{1}{2}}{3}$ to $\frac{3}{2}$ ft		$\frac{4}{6} \frac{00}{00}$	$\begin{array}{c} 35 & 00 \\ 40 & 00 \end{array}$
Sieboldi. 3½ to 4 ft. Heavy	. 75	6 50	
Thunbergii. 12 to 15 in	. 25	$\begin{array}{c}1.75\\2.50\end{array}$	$\frac{12}{15} \frac{50}{00}$
15 to 18 in		$\frac{2}{3} \frac{50}{50}$	20 00
2 ft.; broad and very heavy	. 60	4 50	35 00
$2rac{1}{2}$ ft.; broad and very heavy 3 to $3rac{1}{2}$ ft.; broad and very heavy	$\frac{75}{100}$	$\frac{6}{9} \frac{00}{00}$	$-50 00 \\ 75 00$
vulgaris. Common Barberry—		0 50	05 00
$2\frac{1}{2}$ to 3 ft		$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$	$\frac{25}{30} \frac{00}{00}$
vulgaris, var. Amurensis. 2 to $2\frac{1}{2}$ ft	-	6 00	
vulgaris, var. purpurea. $2\frac{1}{2}$ to 3 ft		3 00	17 50
3 to $3\frac{1}{2}$ ft	50	$\begin{array}{ccc} 3 & 50 \\ 4 & 00 \end{array}$	$\frac{25}{30} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft		6 00	35 00
CALLICARPA purpurea. Beauty Fruit—			
3 to 4 ft	. 75	6 00	40 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 50	4 00 6 00	30 00 35 00
CARAGANA arborescens. Siberian Pea— 4 to 5 ft······	. 75	6 00	40 00

CEANOTHUS Americanus. Jersey Tea. 1½ ft		- 10	100
	. \$0 25	\$2 00	
CEPHALANTHUS occidentalis— 2\frac{1}{2} \to 3 \text{ ft.} \\ 3\frac{1}{2} \to 5 \text{ ft.} \\ 4 \to 5 \text{ ft.} \\ \end{array}	. 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$25 00 30 00
CERCIS. See, also, Deciduous Trees. Japonica. Japan Judas— 2 to 2½ ft	50	4 00	35 00
$2\frac{1}{2}$ to 3 ft	. 75	6 00	50 00
CHIONANTHUS Virginica. White Fringe— 2½ to 3 ft. Bushy 3 to 4 ft. Bushy 4 to 5 ft. Bushy 5 to 6 ft.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7 00 8 50 10 00	50 00 60 00 75 00
CLETHRA ainifolia. Sweet Pepperbush. $1\frac{1}{2}$ to 2 ft 2 to $2\frac{1}{2}$ ft 2 to 3 ft. Broad and bushy	35 50	$\begin{array}{c} 15 \ 00 \\ 2 \ 50 \\ 3 \ 50 \\ 5 \ 00 \end{array}$	20 00 25 00 35 00
COLUTEA arborescens. 2 to 2½ ft. 5 to 6 ft.	35	3 00 4 00	20 00 25 00
COMPTONIA asplenifolia. Sweet Fern. 2 to 2½ ft.		3 00	
CORCHORUS Japonicus. Single Globe Flower-			
18 to 24 in	35 50	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
Japonicus, fl. pl. (Double Kerria)— 2 to $2\frac{1}{2}$ ftJaponicus, var. variegata. (Variegated	1	4 00	20 00
Leaves). 2 ft	. 50	4 00	20 00
CORNUS. See, also, Trees.			
alba. Siberian Red-twigged Dogwood— $1\frac{1}{2}$ to 2 ft.	. 25 . 35 . 50 . 75	2 00 3 00 4 00 6 00 7 50	20 00 25 00 30 00
alba; syn., Siberica, var. aurea variegata—			
2 to 2½ ft			
2 to 2½ ft	$ \begin{array}{ccc} 50 \\ 75 \\ 50 \end{array} $	$\frac{4}{5} \frac{00}{00}$	
5 to 6 ft		$\frac{3}{6} \frac{00}{00}$	
Kousa (Benthamia Japonica)— 2 to $2^{\frac{1}{2}}$ ft	1 50	12 50 18 50	
Mas. Cornelian Cherry. $2\frac{1}{2}$ to 3 ft $\frac{4\frac{1}{2}}{5}$ to 5 ft.; very heavy 5 to 6 ft. 6 to 10 ft. Specimens. ★. \$1.50 to	. 75 . 1 00	6 00 7 50	35 00 50 00

2 ft.

30 00

5 00

	ach	10	100
DEUTZIA gracilis, var. rosea. 18 to 24 in\$0		\$6 00	\$35 00
Lemoinei. 2 to $2\frac{1}{2}$ ft; very heavy	$\frac{35}{2}$	3 00	20 00
$\frac{3}{2}$ to $\frac{3}{2}$ ft.; heavy	$\underline{50}$	4 00	30 00
$\frac{3\frac{1}{2}}{2}$ to $\frac{4}{5}$ ft	75	5 00	35 00
4 to 5 ft		7 50	40 00
Lemoinei, var. compacta. 2 to $2\frac{1}{2}$ ft	$\frac{35}{2}$	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
parviflora. $2\frac{1}{2}$ to 3 ft	50		
scabra. 2 to 3 ft	35	3 00	20 - 00
3 to 4 ft	$\underline{50}$	4 00	25 00
5 to 6 ft	75	6 00	
DIERVILLA (Weigela) florida, var. amabilis—			
3 to 4 ft	50	3.50	
florida; syn., rosea. 2 to 3 ft	50	4 00	25 00
4 to 5 ft	75	5 00	
florida, var. candida. 2 to 3 ft	35	3 00	
3 to 4 ft	50	4 00	
- florida nana, var. aurea variegata—			
2 to 3 ft	50		
3 to 4 ft	75	6 00	
florida, var. Sieboldi alba. 4 to 5 ft	75		
floribunda Lavallei. 2 to $2\frac{1}{2}$ ft	35	3 00	25 00
5 to 6 ft	50		
Japonica (syn., hortensis), var. flori-			
bunda. 2 to 3 ft	50	4 00	
Japonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \spadesuit$.	35	3 '00	20 00
$2\frac{1}{2}$ to 3 ft	- 50	3 50	25 00
3 to 4 ft	75	5 00	30 00
Japonica, var. nivea. White, 2 to 3 ft.	50	4 00	
3 to 4 ft	75	5 00	
Japonica, var. rubra. 2 to 3 ft	- 35	3 00	20 00
3 to 4 ft	50	4 00	
Grænewegeni. 2 to 3 ft	50	4 00	30 00
4 to 5 ft	75	$\tilde{6}$ $\tilde{6}$	0000
Grænewegeni, var. Mad. Contourier.			
(Hybrid). 2 to 3 ft	35	3 00	
4 to 5 ft	50	4 00	
Grænewegeni, var. Steltzneri. 2 to 3 ft.	35	3 00	
3 to 4 ft.	60	5 00	
5 to 6 ft	75		
Grænewegeni, var. Van Houttei-			
$2\frac{1}{2}$ to 3 ft	35	3 00	
3 to 4 ft	50	4 00	
5 to 6 ft	75	6 00	
Verschaffelti. 2½ to 3 ft	35	3 00	20 00
3 to 4 ft	50	4 00	25 00
4 to 5 ft	.75	6 00	
sessilifolia. 2½ to 3 ft	25	2 00	
3 to $3\frac{1}{2}$ ft	50	3 50	
4 to 5 ft	75	5 00	
trifida 1½ to 2 ft	35	2 00	15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	

r	١	i	٦	

PRICE LIST FOR SPRING OF 1913

PRICE LIST FOR SPRING OF 1913		00
Each	10	100
ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft\$0 50	\$4 00	
5 to 6 ft	$\hat{6}$ $\hat{600}$	
longipes; syn., edulis. Japanese Oleas-		
ter. 4 to 5 ft. Bushy 75	5 00	\$30.00
5 to 6 ft. Bushy 1 00	8 50	40 00
6 to 7 ft 1 25	10 00	
parvifolia. 6 to 7 ft 1 00	7 50	
EUONYMUS alatus. Cork-barked. $2\frac{1}{2}$ to 3 ft \bigstar . $\frac{1}{2}$ 50	13 50	
3 to $3\frac{1}{2}$ ft	18 50	
$3\frac{1}{2}$ to 4° ft	22 50	
4 to 5 ft	27 50	
5 to 6 ft 3 50	$32 \ 50$	
One of the most ornamental of		
flowering and fruiting shrubs. Americana Strawberry Bush—		
2 to 3 ft	3 00	
2 1 1 6	3 50	
Europæus. Spindle Tree. 3 to 4 ft 35	$\frac{2}{2} \frac{50}{50}$	15 00
EXOCHORDA grandiflora. Pearl Bush. 2 to 3 ft 50	3 50	
4 to 5 ft	4 00	
6 to 8 ft.; with ball 1 50	12 50	
FORSYTHIA (Golden Bell) Fortunei. 3 to 4 ft 35	3 00	20 00
4 to 5 ft.: very heavy 50	3 50	25 00
5 to 6 ft.; very heavy 75	4 00	30 00
6 to 7 ft.; very heavy	5 00	35 00
Fortunei, var. aurea variegata. 4 to 5 ft. 75	6 00	50 00
intermedia. 2 to 3 ft	2 00	15 00
3 to 4 ft.; very heavy 35	3 00	20 00
4 to 5 ft	4 50	30 00
5- to 6 ft	6 00	$\frac{35}{100}$
suspensa. 2 to 3 ft	2 00	15 00
3 to 4 ft	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	
4 to 5 ft	7 50	
viridissima. 2 to 3 ft	$\frac{1}{2} \frac{30}{00}$	15 00
35 3 to 4 ft.; very heavy; extra 35	$\frac{2}{3} \frac{00}{00}$	25 00
4 to 5 ft.; very heavy; extra 50	4 00	30 00
5 to 6 ft.: very heavy; extra 75	6 00	50 00
HALESIA tetraptera. 5 to 6 ft	6 00	
HAMAMELIS Japonica. Japanese Witch Hazel—		
2 to $2\frac{1}{2}$ ft	8, 50	75 00
2½ to 3 ft 1 50	12 50	100 00
Virginiana, Witch Hazel 4 to 5 ft 50	4 00	
5 to 6 ft.; heavy 75	6 00	50 00
6 to (It.: heavy	7 50	60 00
HIBISCUS Syriacus. Althæa; Rose of Sharon-		
atropurpurea plena. 5 to 6 ft	$\frac{5}{2} \frac{00}{00}$	35 00
Boule de Feu. 5 to 6 ft	$\frac{5}{2} \frac{00}{00}$	
cœrulea plena. 5 to 6 ft	5 00	
Comte de Flandre. 4 to 5 ft. 50 5 to 6 ft. 75	$\frac{4}{5} \frac{00}{00}$	
grandiflora superba. 4 to 5 ft	4 00	30 00
Jeanne d'Arc. 3 to 4 ft	4 00	25 00
4 to 5 ft	5 00	40 00
5 to 6 ft	6 00	50 00
Lady Stanley. 4 to 5 ft	4 00	
5 to 6 ft,	6 00	

ANDORRA NURSERIES

Each	10	100
HIBISCUS purpureus folis argenta marginata—	\$3.00	eno oo
4 to 5 ft\$0 35 5 to 6 ft 50	4 00	\$20 00 30 00
totusalbus, 3 to 3½ ft	4 00	25 00
$3\frac{1}{2}$ to 4 ft	5 00	30 00
violacea (semi-plena). 5 to 6 ft	6 00	40 00
HIPPOPHAE rhamnoides. See Buckthorn.	0 50	90.00
$2\frac{1}{2}$ to 3 ft	2 50	20 00
HYDRANGEA arborescens. 2 to $2\frac{1}{2}$ ft	$\begin{array}{c} 3 & 00 \\ 3 & 50 \end{array}$	25 00
2½ to 3 ft 50 arborescens, var. grandiflora—	3 30	25 00
3 to 4 ft,	4 50	35 00
3 to 4 ft		
$1\frac{1}{2}$ ft.; 4-in. pot		
Hortensis, var. Otaska. 3-year 75 Hortensis, var. Japonica. 1 ft 75		
paniculata. 2 to $2\frac{1}{2}$ ft	3 00	
4 to 5 ft 50	4 00	
paniculata grandiflora. 3 to $3\frac{1}{2}$ ft 50	4 00	$\frac{25}{25} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	35 00
$4\frac{1}{2}$ to 5 ft.; extra heavy 1 50	12 50	60 00
quercifolia. Oak-leaved—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	
		90.00
HYPERICUM aureum. 2½ to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
calcinum. Aaron's Beard. 1 ft	1 00	20 00
hircinum. $1\frac{1}{2}$ to 2 ft	3 50	20 00
Moserianum hybridum. Gold-Flower-	9 50	90.00
15 to 18 in	2 50	20 00
prolificum. 15 to 18 in 50		
ILEX Sieboldi. Red-fruited. 2½ to 3 ft	22 50	
Sieboldi. White-fruited, 2 to $2\frac{1}{2}$ ft	22 - 50	
verticillata. Winter Berry. 1½ to 2 ft 25	$\frac{2}{3} \frac{00}{00}$	05 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ITEA Virginica. 1½ to 2 ft	3 00	20 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50	$\frac{50}{25}$ $\frac{00}{00}$
JASMINUM nudiflorum. Yellow Jasmine-		
$1\frac{1}{2}$ ft	3 50	
KERRIA. See Corchorus.		
LESPEDEZA bicolor. 4 to 5 ft	$\begin{array}{cccc} 2 & 50 \\ 3 & 50 \end{array}$	
5 to 6 ft	5 50	
Heavy clumps	3 00	
Sieboldi, var. alba. Heavy clumps 50		
LIGUSTRUM Amurense. Amoor Privet. 2 to 2½ ft 35	3 00	15 00
2½ to 3 ft	4 00	20 00
ciliatum. Sold by many for Ibota— 3 to 3½ ft. Broad and heavy 50	3 50	15 00
3± to 4 ft Broad and heavy 50	4 00	20 00
4 to 5 ft. Broad and heavy 75	$\frac{5}{7} \frac{00}{50}$	$\frac{25}{20} \frac{00}{00}$
5 to 6 ft. Broad and heavy 1 00	7 50	30 00

PRICE LIST FOR SPRING OF 1913

	Ea	ch	10	100
LIGUSTRUM	Ibota. The true upright form-			
	2 to 2½ ft\$0	25	\$2 00	\$10 00
	$2\frac{1}{2}$ to 3 ft	35	3 00_	12 50
	3° to $3\frac{1}{2}$ ft.	50	3 50	15 00
	4 to 5 ft.; heavy	60	4 00	20 00
	5 to 6 ft	75	6 00	35 00
	6 to 7 ft 1	00	8 50	60 00
	lbota, var. Regelianum. Regel's-			
	$1\frac{1}{2}$ to 2 ft.; heavy	35	3 00	20 00
	$2^{\frac{7}{2}}$ to 3 ft.; heavy	50	.3 50	25 00
	3 to 4 ft	75	5 00	30 00
	4 to 5 ft 1	00	7 50	35 00
	media. $2\frac{1}{2}$ to 3 ft	50	3 50	20 00
	ovalifolium. Califorina Privet-			
	2 to $2\frac{1}{2}$ ft.; bushy 1000, \$35	25	1 00	5 00
	24 to 3 ft bushy 11000 \$50	35	1 50	7 50
	3 to 3½ ft.; bushy \ 1000, \$60	50	. 2 50	10 00
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	60	4 00	15 00
	4 to 5 ft.; bushy	75	5 00	25 00
	5 to 6 ft.; bushy 1	00		
	ovalifolium. var. aureum. Golden Privet-			
	$2\frac{1}{2}$ to 3 ft	75	6 00	
	Grand stock, Transplanted			
	Privet, extra heavy. Will give			
	immediate hedge.			
	Sinensis. Chinese Privet. $2\frac{1}{2}$ to 3 ft	$\cdot 50$		
	$3\frac{1}{2}$ to 4 ft	75		
	vulgaris. Common Privet. 2 to 3 ft	35	$\frac{2}{3} \frac{50}{00}$	15 00
	3 to 4 ft	50	3 00	25 00
	4 to 5 ft	75	4 00	30 00
LONICERA	fragrantissima. Chinese Fragrant Bush			
	Honeysuckle. 2 to 3 ft	25	2 25	20 00
	3 to 4 ft	35	3 25	30 00
	4 to 5 ft.; heavy	59	4 50	40 00
	5 to 6 ft.; heavy	75	6 00	50 00



A Portion of the Propagating Grounds at Andorra.

42 ANDORRA NURSERIES		
LONICERA Morrowi. Japanese Bush Honeysuckle-Each	10	100
3 to 4 ft\$0 50	\$3 00	\$25 00
4 to 5 ft	5 00	35 00
5 to 6 ft	6 00	40 00
Ruprechtiana. 2 to 3 ft	3 00	20 00
3 to 4 ft	3 50	25 00
4 to 5 ft	5 00	35 00
Standishi. Standish's Honeysuckle—		
2 to $2\frac{1}{2}$ ft	6-00	
Tatarica. Mixed sorts. $3\frac{1}{2}$ to 4 ft 35	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	25 00
5 to 6 ft	5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Tatarica (rubra). 3 to 4 ft	3 50	30 00
4 to 5 ft 75	5 00	
Tatarica, var. alba. $2\frac{1}{2}$ to 3 ft	3-00	
3 to 4 ft 50	3 50	
4 to 5 ft.; heavy	6 00	
5 to 6 ft 1 00	7 50	
Tatarica, var. bella albida. 2 to 3 ft 35	3 00	$25 \ 00$
3 to 4 ft	4 00	
4 to 5 ft	$\begin{array}{ccc} 5 & 00 \\ 7 & 50 \end{array}$	
5 to 6 ft	3 00	25 00
3 to 4 ft 75	6 00	20 00
5 to 6 ft 1 00	7 50	
Tatarica, var. Chrysanthera. 4 to 5 ft 50	3 50	30 00
5 to 6 ft	5 00	40 00
Tatarica, yar. splendens. 2 to 3 ft 35	3 00	20 00
4 to 5 ft	4 00	35 00
5 to 6 ft	7 50	50 00
LYCIUM Chinense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft 35 MYRICA cerifera. Wax Myrtle. 12 to 15 in 50	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	15 00
15 to 18 in. Bushy	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
PAVIA parviflora. See Æsculus, under Shrubs.	0 00.	40 00
PHILADELPHUS coronarius. Mock Orange—		
2 to 3 ft 35	3 00	15 00
3 to 4 ft. $\dots 50$	4 00	25 00
5 to 6 ft	6 00	$35 \ 00$
coronarius, var. aureus. Golden	1 00	
Mock Orange. 1½ to 2 ft. 50 coronarius, var. Avalanche—	4 00	
3 to 4 ft 75	6 00	
coronarius, var. primulæ florus—	.9 00	
$2\frac{1}{2}$ to 3 ft	4 00	
grandiflorus. 3 to 4 ft	3 00	25 00
4 to 5 ft	4 00	30 00
5 to 6 ft	$\begin{array}{ccc} 5 & 00 \\ 7 & 50 \end{array}$	35 00
6 to 8 ft	4 00	. 30 00
Lemoinei, var. erectus. 2 to 3 ft 35	3 00	20 00
3 to 4 ft 50	4 00	$\frac{25}{25} \frac{00}{00}$
4 to 5 ft 75	5 00	30 00
Mt. Blanc. $1\frac{1}{2}$ to 2 ft 35	3 00	20 00
3 to 4 ft 75	.5 00	35 00
Zeyheri, var. speciosissimus— $2\frac{1}{2}$ to 3 ft. 35 3 to 4 ft. 50	3.00	20 00
$\frac{2\frac{1}{2}}{3}$ to 4 ft	4 00	$\frac{20}{25} \frac{00}{00}$
5 to 6 ft		$\frac{25}{35} \frac{00}{00}$

PRICE LIST FOR SPRING OF 1913

	Each	10	100
POTENTILLA fruticosa. Shrubby Cinquefoil-	ao a=	69.00	\$20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. \$0-35 . 50-	\$3 00 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$3\frac{1}{2}$ to 4 ft	75	4 00	30 00
PRUNUS amygdalus communis. Flowering Almond-			
$1\frac{1}{2}$ to 2 ft	. 75	5 00	
amygdalus communis, var. rosea—	. 75	5 00	
1½ to 2 ft		3 50	
PYRUS arbutifolia. Chokeberry. 3 to 4 ft arbutifolia, var. brilliantissima. 2 to 3 ft	50	$\frac{3}{3} \frac{50}{50}$	$25 \ 00$
3 to 4 ft	. 75	5 00	35 00
3 to 4 ft	. 35 . 50	$\begin{array}{c} 3 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
3½ to 4 ft		3 00	. 20 00
RHAMNUS cathartica. Buckthorn. 3 to 4 ft		3 50	
6 to 8 ft		5 00	40 00
RHODOTYPUS kerrioides. White Kerria-			~~ ~~
$2\frac{1}{2}$ to 3 ft		3 00	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
$3\frac{1}{2}$ to 4 ft		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
RHUS aromatica. Fragrant Sumac. 1½ to 2 ft		2 00	15 00
$2\frac{1}{2}$ to 3 ft		4 00	25 00
3 to $3\frac{1}{2}$ ft.	. 75	5 00	o= 00
copallina. Shining Sumac. 2 to 3 ft 3 to 4 ft	. 35 . 50	$\frac{3}{4} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft.		$\frac{1}{6} \frac{00}{00}$	40 00
6 to 7 ft	. 1 00	8 50	
Cotinus. Mist, or Smoke Tree. 3 to 4 ft	$\frac{35}{50}$	3 0 9 4 00	30 00
4 to 5 ft		1 00	3 0 00
6 to 8 ft			
Cotinus, var. atropurpurea. Purple Mist-	. 50		
2 to 3 ft			
4 to 5 ft			
RIBES aureum. Golden Currant. 3 to 4		3 50	o= 00
Gordonianum. 3 to $3\frac{1}{2}$ ft		3 00	25 00
ROBINIA hispida. Rose Acacia. 2 to $2\frac{1}{2}$ ft		2 50	20 00
RUBUS Canadensis. 2 to 3 ftodoratus. 2 to 3 ft	. 35 . 25	2:00	
SAMBUCUS Canadensis. 2 to 3 ft	. 35	3 00	20 00
Melanocarpus. 3 to 4 ft	75	6 00	_ 00
5 to 6 ft		7 50	
nigra, var. aurea. Golden Elder— 2 to 3 ft	. 35	3 00	20 00
3 to 4 ft. Very heavy	50		25 00
5 to 6 ft. Very heavy nigra, var. laciniata. Cut-leaved Elder—	75	5 00	40 00
nigra, var. laciniata. Cut-leaved Elder— 1½ to 2 ft	. 35		
$2^{\frac{1}{2}}$ to 3 ft	. 50		
racemosa Red-fruited-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 50 . 75		
.4 to 5 ft			50 00

	Ea	ich	10	100
SPIRÆA	arguta. 2 to 3 ft\$0		\$2 50	\$20 00
	4 to 5 ft. Heavy	-50		
	Billardii. 3 to 4 ft	35	3 00	OF 00
	4 to 5 ft	50	3 50	25 00
	Bumalda. 2 ft	35	3 00	
	$\frac{2^{1}}{2}$ ft. Heavy	$\begin{array}{c} 50 \\ 75 \end{array}$	4 00	
	3 ft	19	6 00	
	Bumalda, var. Anthony Waterer-			
	12 to 18 in	35 50	$\begin{array}{c} 2 \ 50 \\ 4 \ 00 \end{array}$	15 00
	$2\frac{1}{2}$ to 3 ft. Heavy	75	# 00	
	callosa. Fortune's Spirea. 2 to 3 ft	35	3 00	
	callosa, var. alba. 2 to 3 ft	35	3 00	20 00
	Hyb. Margarite. 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
	$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
	Japonica, var. Fortunei rosea. 2 to 3 ft	50	3 50	
	Lindleyana. 3 to 4 ft	50	4 00	25 00
	opulifolia. 3 to 4 ft	35	3 00	
	4 to 5 ft	50	4 00	25 00
	5 to 6 ft. Heavy	$\frac{75}{00}$	$\begin{array}{c} 6 \ 00 \\ 8 \ 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	opulifolia, var. aurea. Golden-leaved—	1 %		. 50 00
	2 to 3 ft.	35	3 00	20 00
	4 to 5 ft	50	4 00	
	6 to 7 ft. Heavy	75	6 00	
	prunifolia flore pleno. Bridal Wreath— 3 to 4 ft.	50	3 00	25 00
	Reevesiana. 2 to 3 ft.	35	3 00	20 00
	3 to 4 ft.	50	4 00	$\frac{20}{25} \frac{00}{00}$
	4 to 5 ft	75	6 00	35 00
	salisifolia. 2 to 3 ft	35	2 50	20 00
	3 to 4 ft	50	3 50	25 00
	Sorbifolia. $2\frac{1}{2}$ to 3 ft	50	3 50	
	Thunbergii. Thunberg's Spirea-			00.00
	$1\frac{1}{2}$ to 2 ft	35 50	$\begin{array}{c} 3 & 00 \\ 3 & 50 \end{array}$	20 00
	$2\frac{1}{2}$ to 3 ft. Very heavy	75	4 00	
	Van Houttei. $2\frac{1}{2}$ to 3 ft	35		
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	4 00	
	4 to 5 ft FINE \	75	$\begin{array}{c} 5.00 \\ 8.50 \end{array}$	$\frac{35}{50} \frac{00}{00}$
	3 to 3½ ft. 4 to 5½ ft. 5 to 6 ft. 6 to 7 ft. 15A Burneldo 2 to 21 ft.	00· 50	$\frac{8}{12} \frac{50}{50}$	$\begin{array}{ccc} 50 & 00 \\ 75 & 00 \end{array}$
STAPHY	LEA Bumalda. $3 \text{ to } 3\frac{1}{2} \text{ ft}$	50 .	$\frac{12}{4} 00$	
	NANDRA flexuosa. 2 to 2½ ft	35	3 00	20 00
	$Z_{\frac{1}{2}}$ to 3 ft. Heavy	50	4 00	25 00
	4 to 5 ft. Heavy	75	6 00	40 00
STYRAX	Japonica. 4 to 5 ft	75	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	50 00
	5 to 6 ft 1	00	7 30	30 00

FRICE LIST FOR STRING OF 1915		40
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 10 \\ \$2 50 \\ 5 00 \end{array}$	\$20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 12 \ 50 \\ 15 \ 00 \\ 20 \ 00 \\ 25 \ 00 \end{array}$
SYRINGA Chinensis; syn. Rothomagensis. Rouen		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 00 4 00 12 50 4 00 7 50	20 00 25 00
Persica. 3 to 4 ft	6 00	30 00
Persica, var. alba. 3 to 4 ft	4 00	30 00
4 to 5 ft Specimens 1 00	7 50	
4 to 5 ft. Specimens 1 00 villosa, var. Emodi. 2 to 2½ ft 50	4 00	30 00
vulgaris. Common Lilac. 1½ to 2 ft 35	3 00	25 00
3 to 3½ it 50	4 00	35 00
4 to 5 ft	6 00	40 00
vulgaris alba. 2 to $2\frac{1}{2}$ ft	4 00	35 00
3 to $3\frac{1}{2}$ ft	6 00	40 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 00	
vulgaris, named varieties—		
alba grandiflora (Single, white)—		
3 to 4 ft		
Charles X. Single, reddish purple—	2 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 3 & 50 \\ 6 & 00 \end{array}$	
$ \frac{3}{4} \text{ to } 4\frac{1}{2} \text{ ft.} \dots 125 $	10 00	
La Tour d'Auvergne. Double, violet-	***	
purple. 4 to 5 ft		
3 to 4 ft		
$\frac{2_{\frac{1}{2}}}{2_{\frac{1}{2}}}$ to 3 ft	6 00	
3 to $3\frac{1}{2}$ ft	8 50	
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots 150$	$12 \ 50$	
Marc Micheli. Double, lilac-blue— 4 to 5 ft 1 50		
Michael Buchner. Double, pale lilac— 3 to 4 ft 1 00		
4 to 5 ft		
President Carnot. Double, light lilac-		
4 to 5 ft 1 50		
President Grevy. Double, blue—		
3 to 4 ft		
President Loubet. Double, reddish carmine. 3 to 4 ft 1 00		
Rubra de Marley. Single, reddish purple—		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 50$	4 00	30 00
4 to $4\frac{1}{2}$ ft	7 50	
5 to 6 ft		

10 MINDORRI NOROBRIDO			
CVDINGA Commonin de l'uduria Canath Circula de l'	Eacl	10	100
SYRINGA Souvenir de Ludwig Spæth. Single red— 3 to 3½ ft	0.50		
$3\frac{1}{2}$ to 4 ft	75		
4 to $4\frac{1}{2}$ ft			
Verschaffelti. Single Dark Red. 4 to 5 ft.	2 00		
TAMARIX Africana; syn., parviflora—			
4 to 5 ft.	$\frac{50}{75}$	$\begin{array}{c} \$4.00 \\ 5.00 \end{array}$	
5 to 6 ft. Gallica. 2 to 3 ft.	35	$\frac{3}{3} \frac{60}{00}$	
3 to 4 ft.	50	4 00	
Gallica, var. Indica. 4 to 5 ft	75	5 00	
Japonica plumosa. 3 to 4 ft	50	4 00	
VACCINIUM corymbosum. Swamp Huckleberry-		,	
$1\frac{1}{2}$ to 2 ft	75	7 00	60 00
2 to $2\frac{1}{2}$ ft		9 00	. 85.00
VIBURNUM accrifolium. $1\frac{1}{2}$ to 2 ft	35	3 00	25 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	-50 -75	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	35 00 50 00
cassanoides. White Rod. 2 to 2½ ft	50	4 50	35 00
3 to $3\frac{1}{2}$ ft. Very heavy	75	6 00	50 00
4 to $4\frac{1}{2}$ ft. Very heavy	1 00	7 50	
dentatum. Arrow-wood. $3\frac{1}{2}$ to 4 ft	75	6 00	40.00
4 to 5 ft.; heavy	$egin{smallmatrix} 1&00\ 1&25 \end{smallmatrix}$	$\begin{array}{c} 8 & 50 \\ 10 & 00 \end{array}$	$\frac{40}{60} \frac{00}{00}$
5 to 6 ft.; heavy		$\frac{10}{12} \frac{50}{50}$	80 00
dilatatum. Japan Bush Cranberry—			
$1\frac{1}{2}$ to 2 ft	75	5 00	
$3\frac{1}{2}$ to 4 ft	1 00	7 50	
Lantana. Wayfaring Tree—	50	4 00	35 00
$3\frac{1}{2}$ to 4 ft.; heavy	75	6 00	50 00
	1 00	8 50	
Lentago. Sheep-berry. 2 to 3 ft	50	4 00	30 00
4 to 5 ft	75	6 00	
	$\frac{1}{1} \frac{00}{50}$	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$	
molle. 3 to 4 ft.	50	4 00	
4 to 5 ft	$\frac{30}{75}$	6 00	·
5 to 6 ft	1 00	8 50	75 00
6 to 7 ft	1 50	12 50	100 00
Opulus. High Cranberry Bush—	F0.	9 50	90.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$-50 \\ -60$	$\frac{3}{4} \frac{50}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft. Fine		$\frac{1}{6} \frac{00}{00}$	50 00
5 to 6 ft. Fine	1 00	8 50	75 00
6 to 7 ft	1 25	10 00	90 00
Opulus, var. sterile. Guelder Rose— 3 to 3½ ft.	50	4 00	
4 to 5 ft.	$\frac{36}{75}$	6 00	40 00
5 to 6 ft		7 50	50 00
plicatum. Japanese Snowball—	1		
2 to 3 ft	50	4 00	35 00
3 to 4 ft.	75	5 00	40 00

PRICE LIST FOR SPRING OF 1913	47
Each 10	100
VIBURNUM plicatum, var. tomentosum. Single Japan Snowball. 2½ to 3 ft	\$25 00 35 00 45 00
prunifolium. Black Haw— 3 to 3½ ft	60 00
3½ to 4 ft 1 00 9 00 4 to 6 ft \$1.50 to \$3 50 Sieboldi. 3½ to 4 ft 1 00 8 50	85 00
VITEX Agnus-castus. Chaste Tree. 3 to 4 ft	65 00 100 00 20 00 20 00
XANTHORRHIZA apiifolia. Shrub Yellow Root— 5 to 6 in. In clumps 25 2 00	10 00
5 to 6 in. In clumps 25 2 00 6 to 8 in. In clumps 35 2 75 10 to 12 in. In clumps 50 3 50 12 to 18 in. In clumps 75 5 00	$\begin{array}{c} 12 \ 50 \\ 15 \ 00 \\ 20 \ 00 \end{array}$
REEDS and GRASSES	
ARUNDO Donax. Clumps \$0.50 BAMBUSA Metake 50 ELYMUS glaucus 25 ERIANTHUS Ravennæ 50 EULALIA Japonica, and vars. variegata, gracillima univittata,	\$3 50 \$3 50 \$ 50 \$ 50 \$ 50
zebrina. Clumps	3 50
FESTUCA glauca 25 PHALARIS arundinacea, var. variegata. Ribbon Grass. 25 UNIOLA latifolia 25	$\begin{array}{c} 1 & 50 \\ 1 & 50 \\ 1 & 50 \end{array}$
VINES, CLIMBING and TRAILING PLA	NTS
ACTINIDIA polygama. 6-in. pots	\$3 50 3 50
AKEBIA quinata. From 4-in. pots	3 50
3-year, field-grown; heavy 25 quinquefolia, var. Engelmanni. 5-in. pots; heavy 35-year, field-grown; heavy 25	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \\ 2 & 00 \end{array}$
tricuspidata; syn., Veitchi. Japan or Boston Ivy; 4-in. pots; heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 75 6-in. pots. 1 00 BIGNONIA grandiflora. 1½ to 2 ft.; field-grown. 35 radicans. Scarlet Trumpet Vine. 6-in. pots. 50 2 to 3 ft.; field-grown. 25	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \\ 2 & 00 \end{array}$

	TO 2	10
CELASTRUS scandens. False Bitter-sweet-	Each	10
2 to 3 ftper 100, \$20	\$0 50	\$3.50
3 to 5 ft.; heavy; field-grown	1.675	5 00
CLEMATIS coccinea. 4-in. pots		
Flammula. Sweet Clematis. 5-in. pots	1 00	7 50
Henryi, Jackmani, Jackmani var. alba		
Jeanne d'Arc, Duchess of Edinburgh, Ker	-	
mesina, Lady Neville, Lilacina floribunda Madame Van Houtte, Miss Bateman, Presi	,	
dent	50	4 00
paniculata. 2-year; heavyper 100, \$15.	30	
5-in. pots; fine	. 50 50	
DOLICHOS See Pucraria.		., 1
EUONYMUS radicans. 1 ft.; field-grownper 100, \$15.	25	1 75
$1\frac{1}{2}$ to 2 ft.; field-grownper 100, \$20.	3	
radicans, var. variegata. 1 ft.; field-grown	. 25	2 00
radicans, var. Carrieri (large leaf)— $1\frac{1}{2}$ to 2 ftper 100, \$35.	. 50	4 00
HEDERA Helix. English Ivy. 4-in. potsper 100, \$20.		
LATHYRUS latifolius. Everlasting Pea		
LONICERA Japonica. Honeysuckle. 4-in. pots. per 100, \$20.		
3-year; field-grown	35	3 00
Japonica, var. brachypoda; syn., flexuosa. Field	- 3	5. 3.00
grown; 4-in. pots per 100, \$20. Japonica, var. aurea reticulata. 4-in. pots		
Japonica, var. Chinensis. Purplish green foliage-		9 00
4-in. pots Heavy, field-grown	3	
Japonica, var. Halleana. 4-in. pots. per 100, \$20.	. 3	3 00
3-year old, field-grownper 100, \$15.	. 2	2 00
sempervirens, var. fuchsioides. Scarlet Trumpet- 6-in pots		4 00
PERIPLOCA Græca. Silk Vine. Field-grown		
6-in. pots	. 50	
PUERARIA Thunbergiana. Kudzu Vine	. 1 00	
VITIS æstivalis. Summer Grape	50	
heterophylla, var. variegata	. 50 50	
riparia. Frost Grape	$\overset{\circ}{50}$	
WISTARIA Chinensis. Chinese Wistaria-		A Anna Alba
WISTARIA Chinensis. Chinese Wistaria— 2 to 3 ft.; in large pots 6 to 8 ft.; field-grown	$\frac{1}{2} = \frac{50}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Chinebala (Standards), 4 to 5 ft.	. a uu	$\frac{1}{40} \frac{22}{00} \frac{30}{00}$
Chinensis, var. alba. Field-grown. 4 to 6 ft	. 250	22 50
6 to 7 ft	. 3 5	
5 to 7 ft	$\frac{1}{2}\frac{2}{50}$	
5 to 7 ft	0 2 50	
multipuda. 5 to 4 ft.: Held-grown	. 1 :)1) 12 50
4 to 6 ft.; field-grown\$1.50 t multijuga, var. alba. Field-grown. 3 to 4 ft	. 1 00	
4 to 6 ft\$1 50 t	0 3 50) -

STRAWBERRIES, Early—Bederwood, Marshall; Medium—
Bubach, Glen Mary, Sharpless,
Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.
Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ROSES

N. BPotted unless noted. Special prices per hundred.	
Each	10
AUSTRIAN BRIERS—Harrison's Vellow and Persian Vellow CO 40	\$3 50
SWEETBRIEK—Rosa rubignosa	3 50
HYBRIDS Penzance Briers—Amy Robsart, Anne of Geierstein.	0 00
Brenda, Flora McIvor, Lady Penzance, Lord	
Penzance, Meg Merrilies, Minna	4 50
BUSH—Blanda, Carolina, canina, lucida, lucida var, alba, mul-	
tiflora, nitida, rubrifolia, field-grown	3 00
Dorothy Perkins, shell pink; Hiawatha,	
ruby carmine; Lady Gay, cerise pink; Tau-	
sendschon soft pink: White Dorothy white	4 00
sendschon soft pink; White Dorothy, white. 50 Setigera. Prairie Rose. 2 to 2½ ft.; field grown 35	4 00
Setigera. Prairie Rose. 2 to $2\frac{1}{2}$ ft.; field grown EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white;	3 00
Betty, ruddy gold; Captain Christy, flesh;	
Caroline Testout, rose; Countess of Cale-	
don, carmine; Duchesse of Albany, deep	
pink; Gladys Harkness, salmon-pink;	
Gruss an Teplitz, crimson; Kaiserine Au-	
guste Victoria, primrose; Killarney, pink;	
La France, rose; Madame Ravary, yellow;	
Souvenir du President Carnot, flesh-rose;	1 1 2
Viscountess Folkestone, creamy pink 50	4 50
EVERBLOOMING, Miscellaneous—Clothilde Soupert (Poly-	
antha), rosy white; etoile de Lyon (Tea), yellow; Francisca Kruger (Tea), yellow-	
peach; Francisca Kruger (1ea), yenow-	
Harry Kirk, deep sulphur yellow; Maman	
Cochet (Tea), rosy white; Souvenir de la	
Malmaison (Bourbon), flesh; White Ma-	
man Cochet (Tea), white	4 50
HYBRID Perpetual—Alfred K. Williams, carmine-red; Baroness	
Rothschild, rose; Captain Hayward, carmine-crim-	
son; Clio, flesh; Eugene Verdier, rose-flesh; Frau	
Karl Druschki, white; General Jacqueminot, scar-	
let; Lady Helen Stewart, crimson-scarlet; Louis	
Van Houtte, red-crimson; Magna Charta, rose;	
Madame Gabriel Luizet, silvery pink; Margaret Dickson, white; Mrs. R. G. Sharman-Crawford,	
rose-pink: Mrs. John Laing, pink: Paul Nevron	
rose-pink; Mrs. John Laing, pink; Paul Neyron, deep rose; Prince Camille de Rohan, deep crimson;	
Ulrich Brunner, cherry crimson 50	. 4 00
MOSS—Blanche Moreau, white; Crimson Globe, deep crim-	
son; Zenobia, rose	4 00

RUGOSA ROSES

ROSA rugosa. 2 to $2\frac{1}{2}$ ft\$0	35	\$3 00	\$20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	35 00
$\overline{3}^2$ to $\overline{3}_{\overline{2}}^1$ ft	75	6 00	50 00
rugosa, var, alba. 2 to $2\frac{1}{2}$ ft	50	4 00	25 00
$2\frac{1}{2}$ to 3 ft	75	6 00	50 00
rugosa hybrids atropurpurea—Atropurpurea,	•0	0 00	00 00
Blanc Double de Coubert, Conrad F.			
Meyer, Madame Georges Bruant, Madam			
Charles Worth, Mrs. A. Waterer. Pot-			
grown	50	4 00	
WICHURAIANA ROSES		_ 00	
ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft \$0	25	\$2 00	
2 to 3 ft. In 4-in. pots	$\tilde{3}\tilde{5}$	3 00	\$25 00
	99	5 00	φ25 00
hybrids—Evergreen Gem. Gardenia, Manda's			
Triumph, Pink Roamer, South Orange	~_	0 70	
Perfection, Universal Favorite. In pots.	50	$3\ 50$	
SINGLE ROSES, Dickson's Hybrids—New Irish			
Beauty, Irish Glory, Irish			
Modesty, Irish Bright-			
ness	75	6 00	

HARDY HERBACEOUS PLANTS

ACHILLEA eupatorium (Fern-leaved Tarrow). All			
summer. 4 to 5 ft	\$0 15	\$1.25	
filipendulina (Noble Yarrow). July. Golden Yellow. 2 ft	15	1 25	610 00
millefolium roseum (Rosy Milfoil).	19	1 20	\$10 00
July to September. Pink, $1\frac{1}{2}$ ft.	15	1 25	
millefolium roseum var. Cerise Queen.	40	1 =0	
June to September. Amaranth-			
red. $1\frac{1}{2}$ ft	25	2 00	
ptarmica (The Pearl). All summer.			40.00
White. 2 ft	15	1 25	10 00
ptarmica var. Boule de Neige (Ball of Snow). July to September. White.			
2 ft	25	2 00	
tomentesum (Wooly Yarrow). June.	20	2 00	
Yellow. 1 ft	25	2 00	
ACONITUM Bicolor. July to September. Blue and			
white. 2 ft	35	2 50	
Fischeri (Monkshood). September and	0=		
October. Blue. 3 ft	35	2 50	15 00
Lycoctonum (Wolf's Bane). June to September. Yellow. 3 ft	35	2 50	
Nanellus albus. Angust to Sentember	99	2 50	
White. 2 ft	35	2 50	
ACANTHUS moills (Bear's Breech). August and			
September. Rose. 3 ft	35	$2 \ 50$	
ADONIS Amurensis fl. pl. April and May. Yellow.			
Allica Canavanaia Mars Bright Illa 6	65	5 00	10 -0
AJUGA Genevensis. May. Bright blue. 6 in reptans rubra (Bugle). May. Purplish	25	1 50	12 50
blue. 6 in	25	1 50	12 50
DAGGO O AMITTOTO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-0	1 00	1= 00



Partial view of Herbaceous Plantations

ALTHÆA rosea (Hollyhock). July. Various			
colors. 4 to 6 ft\$0	25	\$1 50	\$12 50
rosea, var. Allegheny Fringed	25	1.50	12 50
ALYSSUM rostratum, June and July. Golden Yel-		1.00	
low. 1 ft	35	2 50	
saxatile compactum (Golden Tuft). May	99	2 50	
	25	4 50	12 50
and June. Yellow. 1 ft	40	1 50	12 50
ANCHUSA Italica, var. Dropmore. (Alkanet.) New	2	0.00	
May and June. Blue. 3 to 4 ft	25	2 60	
ANEMONE (Windflower) Japonica. September Red.			
2 to 3 ft	25	1 50	12 50
Japonica, var. alba. Fall. White. 2 to 3 ft.	25	1 50	12 50
Japonica, var. Queen Charlotte. Fall.			
Rose. 2 to 3 ft	25	2 00	15.00
Japonica, var. Lady Ardilaun. Fall.			
White. 2 to 3 ft	25	2 00	15 00
Japonica, var. Prince Henry. Fall. Rich		_ 00	10 00
deep pink. 2 to 3 ft	25	2 00	
Japonica, var. rosea superba. Fall.	20	2 00	
	25	9.00	
Silvery rose. 2 to 3 ft	25	2 00	
ANEMONE Japonica, var. Whirlwind. Fall. Pure	05	0.00	4F 00
white. 2 to 3 ft	25	2 00	15 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	25	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-			
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to 1 ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to Sep-			
tember. Golden Yellow. 2 ft	25	1 50	10.00
AQUILEGIA baicalense. May to July. Blue and			
white. 18 in.	25	1 50	12 50
Canadensis. (Common Columbine). May to		2 00	
July, Scarlet and Yellow, 1 to 2 ft	25	1 50	10.00

East to the content of the East East East East East East East East	ch	10	100
AQUILEGIA Chrysantha. May to August. Golden			
cærulea (Rocky Mountain Columbine). May	25	\$2 00	\$12 50
to July. Blue. 18 in	25	2 00	12 50
White. 1 ft	25	2 00	
2 to 3 ft	25	2 00	12 50
	25	2 00	12 50
truncata. May and June. Scarlet, yellow-tipped. 2 ft	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May. White 4 in	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
ARENARIA montana, var. grandiflora (Sandwort). May and June. White. 6 in	25	. 1 50	12 50
ARMERIA maritima, var. alba (Thrift). Summer. White. 9 in	$\frac{25}{25}$	1 50 1 50	10 00 . 12 50
ARTEMISIA abrotanum (Old Man). Silvery white foliage. 2 ft	25 25	1 50 1 50	10 00 10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in Amellus elegans. September and October. Blue.	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. Septem-	25	1 50	10 00
ber and October. Amethyst. 3 to 4 ft grandiflorus. October and November. Violet-	25	1 50	10 00
blue. 2 ft	35	2 50	20 00
White. 3 ft	25	1 50	10 00
laevis. September. Blue. 4 ft	25	1 50	10 00
Madonna. September and October. White, 4 ft. Novæ Angliæ. September and October. Purple.	25	1 50	10 00
4 ft	25	1 50	10 00
October. Bright rose. 4 ft	25	1 50	10 00
1½ ft	25	1 50	10 00
der. 4 ft	25	1 50	10 00
white; very free. $1\frac{1}{2}$ ft	$\frac{25}{25}$	1 50 1 50	10 00 10 00
Trinervius. October and November. Violet- purple. 24 ft.	25 25	1.50	10 00
White Queen. September and October. White.			
4 ft	25	1 50	10 00
ASTILBE Japonica (Spirea). June. White. 1½ ft.	25	1 50	10 00

\mathcal{L}^{\prime} , which is a point of \mathbf{E}	ach	10	100
ASTRANTIA major (Masterwort). June and July. Pale pink. 1 ft\$0	25	\$2 50	\$20 00
AUBRETIA Hendersoni (False Wall Cress). April. Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July. Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow.	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June. Orange-red. 4 ft	25	1 50	10 00
BELLIS perennis (English Daisy). May. White and pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August and September. White 4 ft	25	1 50	10 00
latisquama. August and September. Light lilac. 4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September Light blue. 18 in	25	1 50	10 00
CALLIRHOË involucrata (Poppy Mallow), All summer. Rosy crimson. 1 ft	25	1 50	10 00
CAMPANULA Carpatica (Carpathian Harebell). June to September. Blue. 9 in	25	1 50	10 00
Carpatica, var. alba. June to September. White.	25		40.00
9 in. Mœrheimi. May to July. White. 2 to 2½ ft persicifolia (Peach Bells). June and July.	25 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	10 00
Blue. 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50 1 50	10 00 10 00
pyramidalis (Chimney Bellflower), August and Sentember, Blue, 2 ft.	25	1 50	10 00
and July. 3 ft	25	1 50	10 00
GENTAUREA montana (Perennial Cornflower). June and July. Dark purple. 1½ ft	25	1 50	
montana, var. alba. White form of the above. CERASTIUM tomentosum. June and July. White.	$\overline{25}$	1 50	10 00
CERATOSTIGMA plumbaqinoides (Plumbago). Octo-	25	1 50	1 12 50
ber and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and September. Rose-purple. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum (Shasta Daisies). Alaska, California, Wes-			
tralia. All summer. White. 2 ft	35	2 50	15 00.
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White. 2 ft.	35	2 50	

	lach	10	100
$\begin{array}{ccccc} \textbf{CHRYSANTHEMUM Pompon} & \textbf{Varieties.} & Fall. & All \\ & & & & \text{colors.} & 1\frac{1}{2} \text{ to } 2 \text{ ft.} & & & & \text{$\$$} 6 \\ \textbf{Pompon Varieties, Heavy Stock} & & & & & & \\ \textbf{ulignosum.} & & & & \text{September.} & \text{White.} & 2\frac{1}{2} \text{ ft.} & & \\ \textbf{CHRYSOGONUM Virginianum} & & & & & & & & \\ \textbf{Golden Joint).} & & & & & & \\ \textbf{June.} & & & & & & \\ \end{array}$	25 25 25	$\begin{array}{c} \$1 & 50 \\ 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} \$10 & 00 \\ 15 & 00 \\ 10 & 00 \end{array}$
Yellow. 1 ft	25	1 50	12 50
Yellow. Z ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September. White. $2\frac{1}{2}$ ft	35	2 50	
Dahurica (Bugbane). August and September. White. 2 to 3 ft. racemosa (Snakeroot). July White. 3 to 5 ft. CINERARIA. See Artemisia.	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{c}2\ 50\\1\ 50\end{array}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue. Fragrant. 3 ft recta. June to August. White. Fragrant.	25	1 50	12 50
2 10 3 11	25	1 50	12 50
conoclinium cœlestinum (Mist-flower). September and October. Deep blue. 18 in	25	1 50	12 50
CONVALLARIA majalis (Lily-of-the-Valley). May and June. White. 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	15 15	$\frac{1}{1} \frac{25}{25}$	$\frac{10}{10} \frac{00}{00}$
coronitla varia (Crown Vetch). June and October. Pink. 1 to 2 ft	25	1 50	12 50
ber. Pink. 1 to 2 ft. DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft.	25	1 50	10 00
Chinense, var. album. July to September. White.	25	1 50	10.00
elatum (Bee Larkspur). June to August. Blue. 4 ft.	25	1 50	10 00
formosum (Larkspur). June to September.	25	1 50	10 00
Belladonna (Hybrid). June to September. Turquoise blue; very free. 3 ft	35	3 00	25 00
DIANTHUS barbatus (Sweet William). May to July. Mixed colors. 1½ ft	25 25 25 25	$\begin{array}{c} 1 \ 50 \\ 1 \ 50 \\ 1 \ 50 \\ 2 \ 00 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \\ 10 & 00 \\ 15 & 00 \\ \end{array}$
Laura Wilmer. White, with maroon center. Her Majesty. White. Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower) June to August.	25	1 50	10 00
Pink. 1 ft. spectabilis (Bleeding-heart). May and June. Pink. 2 to 3 ft. Pink. 2 to 3 ft. Dictral is ambigue (Feoreless). July and August			. 12 50
Pink. 2 to 3 ft DIGITALIS ambigua (Foxglove). July and August Pale yellow. 3 ft	25	2 00	
purpurea (Common Foxglove). June and July.	25	2 00	15 00
Mixed colors. 4 to 5 ftpurpurea, var. gloxiniæflora. June and July.	25	1 50	10 00
Mixed colors. 4 to 5 ft	25	1 50	10 00

DODONIOUM And Comment of the Comment	Each	10	100
DORONICUM Austriacum. April and May. Yellow. 2 ft. plantagineum, var. excelsum. April to June.	80 35	\$2 50	\$15 00
plantagineum, var. excelsum. April to June. Yellow. 2 ft	35	~ .2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July	25	2 00	15 00
to September. Rosy purple. 3 ft EPIMEDIUM coccineum (Barren-wart). May and			19 00
June. Red. 9 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
lilacea. May and June. Lilac. 9 in	$\frac{25}{25}$	$\begin{array}{c} 2 & 00 \\ 2 & 00 \\ 2 & 00 \\ 2 & 00 \\ \end{array}$	
ERIGERON speciosus (Fleabane). June to August.			45 00
Violet-blue. $1\frac{1}{2}$ to 2 ft ERYNGIUM amethystinum (Sea Holly). July to	25	2 00	15 00
September. Amethyst-blue. 2 ft EUPATORIUM ageratoides (White Snakeroot). Sep-	35	2 50	
tember and October. White. 3 ft	25 25	1 50	12 50
cœlestinum. Fall. Light blue. 2 ft EUPHORBIA corollata (Spurge). July to Septem-		1 50	
ber. White. $1\frac{1}{2}$ ft	25	1 50	12 50
15 in	25	1 50	10 00
$1\frac{1}{2}$ to 2 ft	25	1 50	$\frac{12}{12} \frac{50}{50}$
ovata. July to August. Deep blue. 1½ to 2 ft. subcordata, var. gradiflora. September. White.	25	1 50	
Fragrant. 2 ftundulata, var. media pieta variegata. July and	25	2 00	15 00
August. Lilac. 1 ft	25	1 50	12 50
November. Yellow. $1\frac{1}{2}$ ft	25	1 50	10 00
GALEGA officinalis (Goat's Rue). July and August. Blue. 2 ft	25	1 50	10 00
Blue. 2 ft. officinalis, var. alba. July and August. White. 2 ft.	25	1 50	10 00
GENTIANA Andrewsi (Closed Gentian). September. Blue, 2 ft.	35	2 50	
GERANIUM sanguineum (Cranesbill). June to Sep-			
tember. Red. 1½ ft	25	1 50	
1 tf.	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 15 & 00 \\ 15 & 00 \end{array}$
Heldrechi. June. Orange. 18 in	25	2 00	15 00
white, July, 3 ft.	35	2 50	
GYPSOPHILA paniculata (Baby's Breath). July. White. 2 to 3 ft.	25	1 50	12 50
HELENIUM, pumilum magnificum (Sneezewort).	25	1 50	10 00
autumnale, var. superbum. July to October.	25	1 50	10 00
autumnale, var ruhrum (New). July to Octo-	25	2 00	1
ber. Red. 4 ft. grandicephalum, var. striatum. August to Octo-	*		15.00
ber. Orange. 3 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

	ach	10)	10	0
HELIANTHUS (Perennial Sunflowers) giganteus.	0-	0-4	-0	0.40	00
August to October, Pale yellow. 6 to 10 ft\$0 Maximiliana. September, Deep yellow. 6 to 8 ft. mollis. September and October. Golden yellow.	$\begin{array}{c} 25 \\ 25 \end{array}$	\$1 1	50 50	\$10 10	00
4 ft	25	. 1	50	10	00
vellow. 4 ft	25	1	50	10	00
multiflorus, var. Soliel d'Or. August to September. Deep yellow; quilled petals. 4 ft orqyalis. September and October. Golden	25	2	00		
yellow, 6 ft	25 25		50.		00
rigidus. July to October. Golden yellow. 3 ft. rigidus, var. Miss Mellish. September and Oc-			50		00
tober. Golden yellow. 6 ft	25		50		00
yellow. 3 ft. HELIOPSIS Pitcheriana. June to October. Orange-	25		50		00
-yellow, 3 ft	25	1	50	10	00
White, 6 in,	35 35		00		
HEMEROCALUS Aurantiaca. June and July	35	3	00		
Bright Indian yellow. 3 to 4 ft Dumortieri (Yellow Day Lily). June and July. Orange-yellow. 2 ft			50	19	50
flava. June, Yellow, 2 ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	î	50	$\tilde{1}\tilde{2}$	50 50
fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft. fulva, var. Kwanso fl. pl. (Double Orange Lily).	25	-1	50	12	50
July and August. Coppery vellow. 2½ ft fulya, var. Thunbergii. August and September.	25	1	50	12	50
Lemon-yellow. $2\frac{1}{2}$ ft	25	1	50	12	50
HEPATICA triloba (Liverleaf). April. White and blue. 6 in.	25	1	25	10	00
HEUCHERA sanguinea (Alumroot). June to September. Coral-red. 18 in	25	. 2	00	15	00
sanguinea, var. alba. June to September. White. 18 in.	25	2	00		
HIBISCUS militaris. June to September. Buff-yellow. 18 in. Moscheutos (Mallow). July to September. Rose 5 ft	25	2	00		
	25	1	50	\$10	00
Moscheutos, var. Crimson Eye. July to September. White, 5 ft.	25	1	50	10	00
tember. 5 to 6 ft.—			00		00
White and pinkRed	35 50	3 5	00	20	00
HOLLYHOCKS. See Althæa rosea. IBERIS sempervirens (Candytuft). April and May.					
White, 6 in. corifolia, April and May, White, 9 in.	$\frac{25}{25}$	1	50 50		00
INULA ensifolia (Fleabane). June to August. 18 in. oculis-Christi. Yellow. June to August. 2 ft. Light yellow. 2 ft.	35 35	3	00		
INCARVILLEA Delavaji (Hardy Gloxinia). June to	-25		50	12	50
July. Rosepink. 18 in	35	3	00		



A field of Japanese Iris at Andorra

Ea	ıch	10	100
IRIS. For Special Descriptive Lists, consult Calendar of Hardy Perennials.			
atroviolacea. May. Dark violet. 2 to 2½ ft.\$0	35	\$3 00	
cristata. April and May. Light blue. 6 in	25	1 50	\$12 50
Florentina. May. Tinted white. Fragrant. 1½ ft.	25	2 00	*
Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{7}{2}$ ft.	25	1 50	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	2 00	15 00
Customer's selection	35	$\tilde{3}$ $\tilde{0}\tilde{0}$.	
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.		0 00	
2 to 3 ft	35	3 00.	25 00
Pseudacorus. June. Yellow. 2 to 3 ft	25	2 00	15 00
pumila, var. aurea. Yellow. May. 8 to 10 in.	$\overline{25}$	1 50	12 50
pumila, var. cyanea. Royal purple. May.	20	1 00	00
8 to 10 in	25	1 50	12 50
pumila, var. eburna. Cream. May. 8 to 10 in.	$\overline{25}$	$\tilde{1}$ $\tilde{50}$	$\frac{12}{12} 50$
pumila, var. florida. White. May. 8 to 10 in.	25	1 50	12 50
Sibirica. May and June. Bright blue. 1½ ft.	$\overline{25}$	1 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare. +	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25	1 50	10 00
tectorum. May. Bright lilac. 1 ft	$\tilde{25}$	$\frac{1}{2} \frac{1}{00}$	15 00
			20 00
KNIPHOFIA aloides (Red-hot Poker). August and	0=	1 -0	10 50
September. Crimson. 3 ft	25	1 50	12 50
obelisque. July and August. Saffron-yellow.	- n=	0 50	15 00
3 to 4 ft	35	2 50	15 00
Orange-scarlet. 3 to 4 ft	35	2 50	15 00
Orange-scarret. 5 to 4 It	99	2 30	19 00

TRICE EIGH TOR OF KING OF	1010		03
	Each	10	100
LATHYRUS latifolius, var. albus (Hardy White	95	\$2 00	
Pea). Summer. Climbing	$\frac{25}{25}$	$\frac{52}{2}\frac{00}{00}$	
latifolius, var. splendens. Summer. Climbing.	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	\$15 00
latifolius, var. Pink Beauty. Summer. Bright	20	2 00	\$10 OO
pink. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	12 50
vera (Lavender). 15 to 18 in	25	1 50	12 50
LIATRIS graminifolia (Blazing Star). August and			
September, Rosy purple, 2 ft pyenostachya (Kansas Gay Feather). Septem-	25	1 50	12 50
pycnostachya (Kansas Gay Feather). Septem-	~~		
ber. Rosy purple. 4 to 5 ft	25	1 50	12 50
spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft	25	1 50	12 50
	20	1 30	12 30
LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft	25	1 50	12 50
Philadelphicum (Wood Lily) July and August	20	1 00	12 00
Orange-scarlet. 2 to 4 ft	25	2 00	15 00
Orange-scarlet. 2 to 4 ftspeciosum, var. roseum (Japan Lily). July and			
August. Rosy white. 2 to 4 ft tigrinum (Tiger Lily). August. Salmon-red.	25	2 00	15 00
tigrinum (Tiger Lily), August. Salmon-red.	25	1 50	12 50
3 to 4 ft.	20	1 90	12 50
LINUM Austriacum (Austrian Flax). June to August. Bluish purple. 18 in	25	1 75	
perenne (Perennial Flax). June to September.	20	1 10	
Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August			
and September. Scarlet. 2 to 3 ft	25	1 50	12 50
and September. Scarlet. 2 to 3 ft syphilitica (Blue Lobelia). August and Sep-			
tember. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to			
September, Vermilion, 2 to 3 ft	25	1 50	12 50
coronaria (Rose Campion). June and July.	25	1 25	10 00
Crimson. 1½ to 2 ft	20	1 20	10 00
1½ to 2 ft	25	1 25	10 00
$1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	1 50	
vespertina, var. alba plena (White Campion). May to September. White. 1 ft	2-		40 50
May to September. White, I ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 \ 50 \\ 12 \ 50 \end{array}$
viscaria (Catchfly). June and July. Red. 1½ ft. viscaria, var. splendens. (German Catchfly).	20	T 90	12 30
June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to			
Sentember White 1½ ft	25	1 25	10 00
nummularia (Moneywort). June to August.	0=		
Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife).	0-	4 50	40 50
July to September, Rose, 3 ft	25	1 50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip). May and June. Blue. 2 ft	25	1 50	10 00
MONARDA didyma (Oswego Tea). July and	20	T 90	10 00
August. Scarlet. 2½ ft.	25	1 50	10 00
giovma, var Cambridge Scarlet, July and	20	1 00	10 00
August. Scarlet. 2 ft	25	1 50	10 00
didyma, var. splendens. July and August.	0=	4 50	10.00
Crimson-scarlet. 2 ft	25	1 50	10 00

Each 1	100
MYOSOTIS alpestris, var. Victoria. May and June.	
palustris (Forget-me-not). May and June.	50 \$10 00
NEPETA glecoma, var. variegata (Ground Ivv).	50 10 00
May. Purple. 6 in	50 10 00
July. Yellow. $1\frac{1}{2}$ ft	00 15 00
GENOTHERA fruticosa, var. major (Sundrops). July. Yellow. 1½ ft	50 12 50 00 15 00
missouriensis (Large Evening Primrose), June and July, Yellow, 1 ft	00 15 00
White. 13 ft	50 10 00
	50
	50 25 00
	50 25 00
PÆONIA. See our Calendar of Hardy Perennials for Special List.	
Chinensis, Double Varieties. Our selection. May	00 05 00
	$\begin{array}{ccc} 00 & 25 & 00 \\ 50 & & \end{array}$
Chinensis, Single Varieties. Our selection 35 3	00 25 00
Chinensis, Single Varieties, Heavy Clumps, Our	20 00
	50
corallina. May. Single. Reddish purple 35 3	00 25 00
Moutan (Tree Peony). May and June. Dif-	0.0
ferent colors	00
Double; deep crimson	00 35 00
Double; pink	00
tenuifolia, Early April. Single; deep maroon. 50 4 tenuifolia, var. plena. Early April. Double;	00
	$\begin{array}{ccc} 00 \\ 00 \\ \end{array}$ 25 00
	00 12 50
nudicaule (Iceland Poppy) All summer Many	00 12 00
colors, 1 ft. 25 1 orientale (Oriental Poppy). June. Orange-scar-	50 10 00
let. Z It	00 12 50
PARDANTHUS. See Belemcanda. PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet.	
Beard Tongue). June to August. Scarlet.	40.00
3 to 4 ft. \sim 25 1	
diffusus. May to July. Blue. 1 ft	00 15 00
	00 15 00
Willie, D. It. Control of the contro	00
ovatus. July and August. Purplish blue. 2 to 3 ft	00

DUI OY amona May Bright nink, 3 to 4 in\$0	ach 25	10 \$1 50	100 \$10 00
Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and	25	1 50	
divaricata (Wild Sweet William). May and June. Lavender. 1 ft	25	1 50	12*50
See the Calendar of Hardy Perennials for	25	2 00	15 00
subulata (Mountain Pink). May and June. Rose. Creeping	25	1 50	10 00
Creening	25	1 50	10 00
subulata, var. atropurpurea. May and June. Purple. Creeping. subulata, var. lilacina. May. Lilac. Creeping. subulata, var. Nelsoni. May and June. Pure	$\frac{25}{25}$	1 50 1 50	12 50
subulata, var. Nelsoni. May and June. Pure white. Creeping	25	1 50	10 00
subulata, var. Model. May and June. Rosy	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead). August Deep rose, 3 ft	$\frac{25}{25}$	1 50	10.00
Virginiana, var. speciosa. August. Pink. 3 ft.	$\frac{25}{25}$	1 50 1 50	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
PLATYCODON grandiflorum (Balloon-flower). July, Blue, $1\frac{1}{2}$ ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
POLEMONIUM cœruleum (Jacob's Ladder). May to July. Deep blue. 1½ ft	25	2 00	15 00
$1\frac{1}{2}$ to 2 ft	. 25	2 00	
PRIMULA acaulis (Primrose), May, Yellow, 6 to 9 in	$\frac{25}{25}$	1 50 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
veris (Polyanthus) May Yellow and orange-	25	1 50	12 50
crimson. 6 to 9 in	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.	25	1 50	12 50
White, pink and red. $1\frac{1}{2}$ to 2 ftroseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	25 35	$\begin{array}{cccc} & 1 & 50 \\ & 3 & 00 \end{array}$	10 00
Acris fl. pl. (Crow's-foot). June. White. 1½ to 2 ft	25	1 50	
June. Yellow. 2 ft	25	1 50	
Yellow. 1 ft	25	1 50	10 00
foliage	25.	1 50	
September, Yellow, 8 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
Pale yellow, 5 fttriloba (Yellow, black cone). August and Sep-	25	1 50	10 00
tember. 3 ft	25	1 50	10 00

SALVIA argentea. June. White, white foliage. 2 ft\$	Each 25	10 \$1 50	100 \$10 00
Caucasicum. July and August. Reddish purple.	25	1 50	10 00
pratensis (Meadow-sage). June to September. Deep blue. 2 to 3 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White. April. 6 in	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June. Rosy purple. 15 in	25	2 00	15 06
SCABIOSA Caucasica (Mourning Bride). Lavender-blue. June. 15 to 18 in	35	2 50	15 00
SEDUM acre (Golden Moss). May and June Yellow. Spreading	25	1 25	10 00
album. July. White. 4 to 6 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 25 \\ 1 & 25 \end{array}$	10 00 10 00
sexangulare (Stonecrop). June and July. Yellow. 6 in. Sieboldi. August and September. Pink. 6 to	. 25	1 25	10 00
8 in	25	1 25	10 00
and October. Rose. 12 to 15 in	25	2 00	15 00
October. Purplish crimson, 15 intelephoides. July and August. Pink. 1 ft	25 25	$\begin{array}{c}2~00\\2~00\end{array}$	$15 00 \\ 15 00$
SENECIO clivorum. Summer. Yellow. 3 ft pulcher (Groundsel). July to October. Rosy	35	2 50	15 00
purple. 1½ to 2 ft	25	1 50	. 40.00
SMILACINA racemosa (False Solomon's Seal).	25	1 25	10 00
April. White. 1½ ft	25 35	1 50 2 50	15 00
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus. June and July. White, 4 to 5 ft filipendula fl. pl. June and July. White, 2 ft. lebata. July. Pink. 3 to 4 ft	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
lchata. July. Pink. 3 to 4 ft	25		15 00
crimson anthers, 3 ft	25 25	$\begin{array}{c} 2 \ 00 \\ 2 \ 00 \end{array}$	
grant 2 ft	25	2 00	
STACHYS Betonica; syn., Betonica rosea. July and August. Rose. 1 ft. lanata. June and July. Purple. 12 in	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
Red. 15 to 18 in	25	1 50	10 00
August. Deep blue. 2 ft. STOKESIA cyanea (Stokes' Aster). July to October. Lavender. 1½ ft.	25	1 50	10 00
cyanea, var. ana. July to October. White.	25	2 00	15 00
1½ ft	50	3 50	

TANACETUM globiferum (Tansy), August. Golden E	ach 25	10 \$1 50	100 \$10 00
yellow, 3 ft\$0 THALICTRUM adiantifolium (Meadow Rue). June. Yellow, 18 in	0~	*	·
aquilegifolium (Feathered Columbine) . June.	25	1 50	10 00
White, 2 to 4 ft	$\frac{25}{25}$	1 50	
polyganum (Tall Rue). June, White. 3 to 4 ft. purpurascens. June to August. Purple. 3 to	20	1 50	
4 ft	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft.	25	1 50	
4 ft. mollis. May to July. Yellow. 2 to 3 ft THYMUS montanus, var. coccineus (Scarlet Thyme).	25	1 50	
May. Bright red. 4 in	25	1 50	
vulgaris (Common Thyme). May. Lilac. 1 to	25	1 25	
TRADESCANTIA Virginiana (Spiderwort). June to		1 200	
October. Purple. 2 ft	25	1 50	12 50
2 ft	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily). March and April.			
White, 9 to 12 in	25	1 50	
Yellow. 2 ft	25	1 50	12 50
orange $1\frac{1}{2}$ to 2 ft	35	2 50	
VALERIANA coccinea (Valerian). June to October. Reddish. 2 ft.	25	1 50	10 00
officinalis (Hardy Heliotrope). June and July.			
Rose-pink. 2 ft. rubra. June to October. Red. 2 ft.	$\frac{25}{25}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{10}{10} \frac{00}{00}$
VERBASCOM Diympicum (Mullein). July to Sep-	25		
tember. Yellow. 6 ft	29	1 50	12 50
ber. Red. 5 ft. Baldwini. August to October. Purple. 4 ft.	$\frac{25}{25}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	
VERUNICA iongitolia, var. rosea (Speedwell). July			
to October. Rose. 1½ ft	25	1 50	
longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft	25	2 00	15 00
rupestris (Rock Speedwell). June and July. Blue Spreading	25	1 50	10 00
spicata. June to September. Bright blue.	25	1.50	10 00
Virginica. August to September. White. 4 ft. VINCA minor (Periwinkle). May. Bright blue.	$\frac{25}{25}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	10 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	25	1 50	10.00
VIOLA pedata, var. bicolor (Bird's-foot Violet).			
May. Purple and White. 4 in	25	1 50	12 50
Purple 10 in	25	1 25	
Cornuta, var. Lutea splendens. Rich yellow. May to October. 10 in.	25	1 25	
Cornuta, var. Papillo. Violet blue. May to	25	1 25	
October. 10 in. Cornuta, var. White Perfection. Pure white.			
May to October. 10 in	25	1 25	

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions, ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.
Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils. Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils. marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils. ASPLENIUM Filix-fæmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.
BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.
DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations.

ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils.
Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.

Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils.
Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils.
cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.
WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.
The above varieties, 25 cts. each. \$2 per 10, \$15 per 100.

HEDGE PLANTS

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

Hibiscus Syriacus

We shall be pleased to name special prices for plants in quantity for hedging purposes.

hedging purposes.	
EVERGR	EEN TREES
SEE PAGE	
Biota orientalis 4	Thuya occidentalis 13
Picea excelsa	occidentalis Wareana 14
Retinospora plumosa 10	
Retinospora plumosa aurea 11	그 사회 회사 배크로 가게 되었다. 네트를 들는
DECIDU	OUS TREES
Carpinus Americana 24	Cratægus Oxyacantha 26
Betulus 24	Fagus sylvatica 26
Cratægus Crus-galli 26	
EVERGRE	EN SHRUBS
Azalea amœna	llex crenata microphylla 17
Buxus sempervirens 15	Mahonia aquifolia
sempervirens suffruticosa 16	Japonica 17
DECIDUO	OUS SHRUBS
Acanthopanax spinosa 33	Hippophae rhamnoides 40
Berberis Thunbergi and vulgaris, 35	Ligustrum Ibota, Regelianum,
Elæagnus longipes	
Forsythia viridissima 39	Lonicera Tatarica 42

Rhamnus cathartica

DEPARTMENTS

Fertilizers	PAGE		PAGE
Fertilizers	2	Vines and C	limbing Plants47
General Instructions and Te	erms3		mall Fruits49, 50
Evergreen Trees	4		
Evergreen Shrubs	15	Herbaceous .	Plants
Deciduous Trees Deciduous Shrubs	21	Ferns	63
Deciduous Shrubs	35	Hedge Plant	s
Reeds and Grasses	47	Catalogs	
	IND	CV	
	IND	LA	
PAGE 1		PAGE	PAGE
Aaron's Beard40	Baby's Breath		Cedar
Abelia55	Baccharis	35	Cedrela24
Abies 4	Bambusa	47	Cedrus 5
Acanthus	Baptisia		Celastrus48
Acanthopanax35	Barberry		Celtis25
Acer23	Basswood		Centaurea54
Achillea	Beard Tongue		Cephalanthus36
Aconitum	Bear's Breech		Cephalotaxus 5
Actinidia			Cephalotaxus
Adam's Needle20	Beauty-fruit		Cerastium54
Adiantum64	Beech		Cerasus
Adonis	Belemcanda .		Ceratostigma54
Æsculus23, 55	Bell-flower		Cercidiphyllum25
Ailanthus23	Bellis	54	Cercis
Ajuga51	Benzoin Berberis	35	Chamædaphne16
Akebia	Berberis	35	Chamomile52
Alder24	Betonica. See	e Stachys.	Chaste Tree47
Allspice, or Sweet Shrub35	Betula	24	Chelone
Shrub	Bignonia Balloon-flower	47	Cherries49
Alnus	Balloon-flower	:60	Cherry
Althæa (see, also, Hi-	Biota	4-5	Chestnut24, 49
biscus)35, 51	Birch	24	Chinese Angelica Tree. 24
Alum Root57	Bittersweet .	41	Chinese Arboryica 5
Alyssum52	Black Alder .		Chinese Cork Tree29
Amelanchier23, 35	Blackberries .		Chionanthus36
Amorpha35	Black Haw .	97	Chokeberry43 Christmas Rose57
Ampelopsis	Black Walnut		Christmas Rose51
Amyguarus, See Prunus.	Bladder Senn	a 50	Chrysanthemum55
Anchusa	Blanket-Flower		Chrysogonum55
Andromeda (see, also, Oxydendrum)15, 24	Blazing Star Bleeding Hea	ret 55	Chrysopis55
Anemone51, 52	Blue Spirea		Cimicifuga55 Cineraria. See Arte-
Anthemis	Bocconia		misia.
Apples	Boltonia		Cinquefoil42
Aquilegia52 & 53	Potuvohium	64	Cladrastris25
Arabis	Box		Clematis48 & 55
Aralia24	Bridal Wreat	h44	Clethra
Arborvitæ4, 5, 13	Broussonetia		Columbine53 & 63
Arenaria53	Buckthern	43	Colutea36
Aristolochia	Butterfly Wes	od 53	Comptonia
Armeria	Buttonwood	30	Cone-flower 56 & 61
Aronia. See Pyrus.	Buxus	15-16	Conoclinium55
Arrow-wood46	Calimeris	54	Convallaria55
Artemesia53	Callicarpa		Coral Berry44
Arundo	Callirhoe		Corchorus36
- Asclepias	Calycanthus		Coreopsis55
Ash	Campanula .		Cornus25, 36, 37 Coronilla55
Asparagus50	Candytuft		Coronilla
Aspidium64	Caragana	35	Corylus
Asolenium64	Cardinal-flowe	er59	Cotoneaster16, 37
Aster	Carpinus	24	Crap Apples30
Astrantia	Carya Castanea	24	Cranberry Bush46 Cratægus17, 25. 26
Aubretia54	Castalpa		Cryptomeria 5
Azalea	Ceanothus	26	Cucumber Tree28
Marca	ceanothus		cucumber free20

PAGE	PAGE	PAG
Cupressus12	Geum56	Juniperus
Currant49	Gillenia56	Walmia 1
Cudonia 27		Kannia
Cydonia	Ginkgo32	Kentucky Conee Tree. 2
Cypress9, 12, 32	Gleditschia27	Kerria. See Corchorus.40
Cytisu	Globe-flower36	Kniphona
Daisy	Globe-flower 36 Goat's Beard 61	K (Pireliferia 2
Day Lily56 & 57	Cold-flower 40	Kudzu Vine48
Daphne	Golden Bell39	Larch
Decidnous Shrubs35	Golden Chain 26	Larix28
Deciduous Trees 21 33	Golden Tuft52 Glyptostrobus See Tax-	Larkspur
Delphinium 55	Clyptostrobus Son Toy	Larkspur58 Lathyrus48 & 59
Desmodium55	odium.	Laurel
Desmodium	outum.	Laurer
Desmodium, See Les-	Gooseberries49	Lavandula59
pedeza	Grapes	Lavender-cotton
Deutzia	Groundsel Shrub35, 61	Lavender-cotton62
Dianthus	Guelder Rose46	Lespeueza40
Dicentra	Gymnocladus27	Leucothæ17
Dicksonia64	Gypsophila56	Liatris59
Dictamnus55 Diervilla38	Halesia	Ligustrum40-41
Diorvilla 38	Hamamalia 90	Lilac44
Digitalia	Hamamelis39	Lilium 50
Digitalis55	Hardy Roses50-51	T:1 C. 11
Diospyros26	Hawthorn26	Lily-of-the-valley
Diospyros 26 Dogwood 25, 36-37 Dolichos. See Pueraria.	Hazol 27-20	Lilium
Dolichos. See Pueraria.	Hedera 48 Hedge Plants 63 Helenium 56 Helianthus 57	Linum
Doronicum56	Hedge Plants 63	Liquidambar28
Dutchman's Pipe47	Holonium 56	Liriodendron28
Echinacea56	Helienthum 57	Liver Leaf57
Elæagnus39	menanthus	T -1-17-
Elicagius	nemopsis	Louist 07 96
Elder43	Heileborus57	Locust
Elm33	Hemerocallis or Day	London Prideb
Elymus	Hemerocallis or Day Lily57	Locatia
English Primrose60	Homlook 14	Loosestrife59
English Ivy48	Hepatica	Lychnis59
Enimedium 56	Hepatica	Lycium 49
Erianthus47	Herbaceous Plants. 51-62	Lycium
	HIDISCUS	Lysimachia
Erigeron56	High Cranberry Bush. 46	Lythrum59
Eryngium56	Hippophae40	Maclura28
Esculent Roots50	Holly 17	Magnolia28
Eulalia	Hippophae	Mahonia17
Euonymus 17, 39, 48	Althora	Maidenhair Tree32
Eulalia	Althea	Maidenhair 17 Maidenhair 32 Maple 21-29 Matrimony Vine Meadow Rue 63 Meadow Sweet 62 Mortons 50
Euphorbia 55	Honey Locust27	Matrimony Vine 49
Evening Primrose59	Honeysuckle41, 48 Hop Tree30	Meadow Rue 63
Evergreen Shrubs15-20	Hop Tree30	Mondow Sweet 29
Evergreen Shrubs15-20	Hornbeam24	Meadow Sweet02
Evergreen Thorn17	Horse-Chestnut23	Merteusia
Evergreen Trees4-15	Hydrangea40	Mint-flower54
Everlasting Pea48	Hydrangea40	Mist. or Smoke Tree 43
Exochorda39	Hypericum40	Mock Orange42
Fagus	Iberis	Monarda59
Ferns	Iberis	Moneywort 59 Monkshood 51
Festuca	Incarvillea57	Monkshood 51
Foverfow 56 & 61	Inula57	Morus
Fir	Iris 58	Mountain Ach 29
Flore flores	Iris	Mountain Ash
Flame-flower58	Itea40	Mourning Bride62
Flowering Almond43 Flowering Crab30		Mulberry24, 29
Flowering Crab30	Jacob's Ladder61	Myosotis60
Forget-me-not60	Japan, or Boston Ivy 27	Myrica42
Forsythia39	Japan Cypress 9	Negundo. See Acer Ne-
Foxgloves55	Japan Judge 26	gundo,
Fox Grape48	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quince 37	Nepeta60
Fravinus	Toponess Messless of	Nettle Tree25
Fraxinus27	Japanese Maples23	Nuts
Fruit49	Japanese Snowball46	Nyagga
Funkia	Jasmine	Nyassa
Gaillardia56	Jasminum40	Оак30-31
Galega 56	Jersey Tea36	Enothera60
Galega	Tudog Tros	Old Man53
Contiana	Judas Tree25	Old Man
Gentiana	Juglans27	Oleaster39
Geranium	Juneberry	Onoclea

PAGE	PAGE	PAGE
Ophiopogon60	Rhus31-32, 43	Sweet Shrub35
Oriental Diana 20	Ribbon Grass47	Sweetbriar50
Oriental Poppy60	Ribes43	Sycamore30
Osage Orange28	Robinia32, 43	Symphoricarpus45
Oriental Poppy 60 Osage Orange 28 Osmanthus 17 Osmunda 64	Rock Cress53	Syringa
Osmunda64	Rockfoil62	Tanacetum
Oswego Tea, or Fragrant Balm59	Rose Acacia43	Tamarix46
grant Balm59	Rose Campion	Taxus
Oxydendrum29 Pæonia60	Rose of Sharon 39 40	Tecoma See Rignonia
Pachysandra60	Roses50-51	Thalictrum63
Panavar 60	Rosmarinus61	Thermopsis63
Pardanthus. See Bel-	Rosy Milfoil51	Thorn 95.96
emcanda.	Rubus43	Thorn Evergreen17
Parrotia29	Rudbeckia61	Thorn Evergreen17 Thrift53 Thuya13-14
Paulownia29 Pavia. See Æsculus.	Rugosa Roses51	Thuya
Pavia. See Æsculus.	Salisburia32 Salix32	Thujopsis12
Pearl Bush	Salvia	Thymus 63 Tickseed
Pears	Sambucus43	Tiger Lily
Penstemon60	Sandwort	Tiger Lily
Periploca	Sanguinaria62 Santolina62	Tradescantia63
Periwinkle63	Santolina62	Tree of Heaven23
Persian Iron Tree29	Sassafrass32	Trillium63
Persica	Saxifraga62	Trollius63
Persimmon26	Scotch Broom37	Trumpet Vine 47 Tsuga
Phalaris	Scabiosa	Tulip Tree28
Philadelphus 49	Sea Buckthorn40	Ulmus 33
Philadelphus42 Phillyrea17	Sea Holly	Ulmus
Phlox	Sea Holly	Uniola
Physostegia 61 Picea	Senecio62	Vaccinium46
Picea7-8	Sedum	Valeriana63
Pinks	Sheepsberry46	Valerian63
Pinus8-9	Shrub Yellow Root47 Shrubby Cinquefoil42	Varnish Tree27 Verbascum63
Platanus30	Silene	Varnania 63
Platycodon	Silk Vine48	Veronica
Plums49	Small Fruits	Viburnum46-47
Podocarpus 9	Smilacina62	Vinca63
Polemonium61	Snakeroot55	Vines and Climbing
Populus30	Snowball46	Plants47, 48
Poppy53, 60	Snowberry	Viola
Potentilla 42 Primrose 60, 61	Sorbus32	Virgilia
Primula	Speedwell 63	Vitey 47
Privet 40-41	Speedwell	Vitis
Privet	Spiderwort	Vitis
Cerasus30, 43	Spindle Tree 39 Spiræa 44, 53, 62 Spruce 7, 8, 9	Wax Myrtle 42
Pseudotsuga 9	Spiræa44, 53, 62	Wayfaring Tree46 Weigela38
Ptelea30	Stachys	White Fringe38
Pterostyrax30	Staphylea44	White Red 46
Pueraria	Statice	Wolf's-bane51
Pyrethrum	Stephanandra44	Willow
Pyrus30, 43	Stokesia	Windflower
Quercus30, 31	Stokes' Aster62 Stonecrop62	Winola
Quinces49	Stonecrop	Winter Berry40
Ranunculus61	Strawberries50	Wistaria
Raspherries 19	Strawberry Bush39 Styrax44	Woodsia64
Red Bud. or Judas25	Sumac31-32, 43	Woodwardia64
Reeds and Grasses47	Sunflower 57	Xanthoceras47
Retinospora9-11 Rhamnus43	Swamp Huckleberry46	Xanthoceras47 Xanthorrhiza47
Rhododendron18-20	Swamp Huckleberry 46 Sweet Fern 36 Sweet Gum 28	Yarrow
Rhodotypus43	Sweet William55, 61	Yarrow
Rhubarb50	Sweet Pepper Bush36	Yucca
	once reper bushso	1 deca

Our Catalogs

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints of planting, pruning and caring for them. It is illustrated and fully indexed.

PRICE LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the CURRENT SEASON'S PRICE-LIST.

PLANTING INSTRUCTIONS. This booklet does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.

A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

OUR STANDARD FOR MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{9}{4}$ in. (caliper).